Experiment Number: 88070-02

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Isobutene **CAS Number:** 115-11-7

Time Report Requested: 23:14:45 First Dose M/F: NA / NA

Date Report Requested: 10/15/2014

Lab: BNW

C Number: C88070

Lock Date: 09/04/1992

Cage Range: ΑII

Date Range: ΑII

Reasons For Removal: ΑII

Removal Date Range: ΑII

Treatment Groups: ΑII

Study Gender: Both

PWG Approval Date NONE Experiment Number: 88070-02 P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Compound: Isobutene
CAS Number: 115-11-7

Species/Strain: Mouse/B6C3F1

Date Report Requested: 10/15/2014
Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

SUMMARY OF STATISTICALLY SIGNIFICANT (P<=.05) RESULTS IN THE ANALYSIS OF ISOBUTENE

FEMALE MOUSE

Organ
OvaryMorphology
Angiectasis

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

MALE								
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM		
Lung								
Inflammation Chronic								
LESION RATES								
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)		
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00		
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%		
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)		
FIRST INCIDENCE	94(T)							
STATISTICAL TESTS								
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N		
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N		
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N		
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N		
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N		
HISTCONT SAME RTE								
HISTCONT ALL RTES								
CURR VS HC SAME RTE								
CURR VS HC ALL RTES								

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

MALE							
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM	
Lung: Arteriole							
Hyperplasia							
LESION RATES							
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00	
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%	
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	
FIRST INCIDENCE							
STATISTICAL TESTS							
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)	
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)	
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)	
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)	
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)	
HISTCONT SAME RTE							
HISTCONT ALL RTES							
CURR VS HC SAME RTE							
CURR VS HC ALL RTES							

Test Compound: Isobutene CAS Number: 115-11-7

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

MALE								
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM		
Nose								
Inflammation								
LESION RATES								
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)		
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00		
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%		
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)		
FIRST INCIDENCE								
STATISTICAL TESTS								
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)		
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)		
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)		
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)		
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)		
HISTCONT SAME RTE								
HISTCONT ALL RTES								
CURR VS HC SAME RTE								
CURR VS HC ALL RTES								

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

			MALE			
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Spleen						
Pigmentation Melanin						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE						94(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

	MALE							
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM		
Testes								
Atrophy								
LESION RATES								
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)		
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00		
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%		
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)		
FIRST INCIDENCE						94(T)		
STATISTICAL TESTS								
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500		
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500		
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500		
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500		
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159		
HISTCONT SAME RTE								
HISTCONT ALL RTES								
CURR VS HC SAME RTE								
CURR VS HC ALL RTES								

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1) LAST REMOVAL AT 14286 WEEKS

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

			MALE			
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Testes						
Mineralization						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	94(T)					
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Test Compound: Isobutene CAS Number: 115-11-7

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

			MALE			
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Thyroid Gland						
Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE						
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Test Compound: Isobutene CAS Number: 115-11-7

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

	FEMALE								
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM			
Lung									
Inflammation Chronic									
LESION RATES									
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)			
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00			
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%			
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)			
FIRST INCIDENCE									
STATISTICAL TESTS									
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)			
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)			
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)			
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)			
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)			
HISTCONT SAME RTE									
HISTCONT ALL RTES									
CURR VS HC SAME RTE									
CURR VS HC ALL RTES									

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

			FEMALE			
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Lung: Arteriole						
Hyperplasia						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	94(T)					
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Test Compound: Isobutene CAS Number: 115-11-7

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

FEMALE								
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM		
Nose								
Inflammation								
LESION RATES								
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)		
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00		
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%		
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)		
FIRST INCIDENCE						94(T)		
STATISTICAL TESTS								
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500		
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500		
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500		
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500		
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159		
HISTCONT SAME RTE								
HISTCONT ALL RTES								
CURR VS HC SAME RTE								
CURR VS HC ALL RTES								

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

			FEMALE			
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Ovary						
Angiectasis						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	1/1.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	100%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE				94(T)		
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.091	(e)	(e)
POLY 1.5	(e)	(e)	(e)	P=0.091	(e)	(e)
POLY 6	(e)	(e)	(e)	P=0.091	(e)	(e)
COCH-ARM / FISHERS	P=0.510N	(e)	(e)	P=0.091	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.000**	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Test Compound: Isobutene CAS Number: 115-11-7

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

	FEMALE								
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM			
Spleen									
Pigmentation Melanin									
LESION RATES									
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)			
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00			
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%			
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)			
FIRST INCIDENCE									
STATISTICAL TESTS									
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)			
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)			
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)			
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)			
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)			
HISTCONT SAME RTE									
HISTCONT ALL RTES									
CURR VS HC SAME RTE									
CURR VS HC ALL RTES									

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1) LAST REMOVAL AT 14286 WEEKS

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: 90-DAY

FEMALE						
DOSE	CONTROL	500 PPM	1000 PPM	2000 PPM	4000 PPM	8000 PPM
Thyroid Gland						
Cyst						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	94(T)					
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Test Compound: Isobutene CAS Number: 115-11-7

Date Report Requested: 10/15/2014 Time Report Requested: 23:14:45

First Dose M/F: NA / NA

Lab: BNW

LEGEND

Route: RESPIRATORY EXPOSURE WHOLE BODY

Experiment Number: 88070-02

Species/Strain: Mouse/B6C3F1

Test Type: 90-DAY

LLOLIND	
(a)	Number of tumor-bearing animals/number of animals examined at site.
(b)	Number of tumor-bearing animals/Poly-3 number
(d)	Observed incidence at terminal kill.
(e)	Value of statistic cannot be computed.
(f)	Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
(g)	Poly-3 adjusted lifetime tumor incidence.
(n)	No statistics are calculated if all dose groups have fewer than two tumors.
(I)	Interim sacrifice
(T)	Terminal sacrifice
#	Tumor rates based on numbers of animals necropsied.
*	To the right of any statistical result, indicates significance at (P<=0.05).
**	To the right of any statistical result, indicates significance at (P<=0.01).
N	Indicates a negative trend for all tests

** END OF REPORT **

The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.