Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

C Number: C96001

Lock Date: 01/12/1998

Cage Range: All

Date Range: All

Reasons For Removal:

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

PWG Approval Date NONE

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Male RAT FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

	ואט	IVIDUAL SURVIVAL TIMES (DATS)	
DOSE = CONTROL				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 138 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 275 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 550 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Male RAT FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 1100 MG/M3

TOTAL 5

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 2200 MG/M3

TOTAL 5

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Male RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	2	4	6	8	10	12	14	16	18	17(A)
CONTROL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
138 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
275 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
550 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1100 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
2200 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Male RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	CONTROL	138 MG/M3	275 MG/M3	550 MG/M3	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	17.0	17.0	17.0	17.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Type: 14-DAY

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Male RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	1100 MG/M3	2200 MG/M3
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)		
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)		
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	17.0	17.0
(STANDARD ERROR)	(0.0)	(0.0)

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Female RAT FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

	IND	IVIDUAL SURVIVAL TIMES (DAY)	5)	
DOSE = CONTROL				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 138 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 275 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 550 MG/M3				
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Female RAT FIRST TERMINAL SACRIFICE AT 17 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 1100 MG/M3

TOTAL 5

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 2200 MG/M3

TOTAL 5

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 14-DAY

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014
Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Female RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	2	4	6	8	10	12	14	16	18	17(A)
CONTROL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
138 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
275 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
550 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1100 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
2200 MG/M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Type: 14-DAY

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Female RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	CONTROL	138 MG/M3	275 MG/M3	550 MG/M3	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)	•				
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	17.0	17.0	17.0	17.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Type: 14-DAY

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

Female RAT FIRST TERMINAL SACRIFICE AT 17 DAYS

DOSE	1100 MG/M3	2200 MG/M3
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)		
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)		
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	17.0	17.0
(STANDARD ERROR)	(0.0)	(0.0)

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Stoddard solvent (type IIC)

CAS Number: 64742-88-7

Date Report Requested: 10/16/2014 Time Report Requested: 11:56:30

First Dose M/F: NA / NA

Lab: BNW

** END OF REPORT **

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)