Experiment Number: 97013-12 P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED) Test Type: 14-DAY **Test Compound:** Water disinfection model (Dichloroacetic acid) **CAS Number:** 79-43-6 **Route: SKIN APPLICATION** Species/Strain: Mouse/FVB/N C Number: C97013D Lock Date: Not Entered. **Cage Range:** ΑII **Date Range:** ΑII **Reasons For Removal:** ΑII **Removal Date Range:** ΑII **Treatment Groups:** ΑII **Study Gender:** Both

NONE

PWG Approval Date

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:34

First Dose M/F: NA / NA

Lab: BAT

Test Compound: Water disinfection model (Dichloroacetic acid)

5

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:34

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
0 MG/k	(G	

DAY ON TEST		_	_	_	_	
DAY ON TEST	0	U	U	U	U	
	0	0	0	0	0	
	1	1	1	1	1	
	7	7	7	7	7	
ANIMAL ID	0	0	0	0	0	
AMINAL ID	0	0	0	0	0	
	0	0	0	0	0	
	0	0	0	0	0	
	1	2	3	4	5	*TOTALS

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

- X ..Lesion present
- I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Route: SKIN APPLICATION Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Male 0 MG/KG	DAY ON TEST	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	
	ANIMAL ID	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
31.25	MG/KG	

DAY ON TEST	0 0 1	0 0 1	0 0 1	0 0 1	0 0 1	
	7	7	7	7	7	
ANIMAL ID	0	0	0	0	0	
AMIMAL ID	0	0	0	0	0	
	0	0	0	0	0	
	0	0	0	0	1	
	6	7	8	9	0	

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

- X ..Lesion present
- I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Male 31.25 MG/KG	DAY ON TEST ANIMAL ID	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	
		0 6	0 7	0 8	0 9	1 0	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

I ..Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

Test Compound: Water disinfection model (Dichloroacetic acid)

5

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
62.5	MG/KG	

[
DAY ON TEST	0	0	0	0	0	
	0	0	0	0	0	
	1	1	1	1	1	
	7	7	7	7	7	
ANIMAL ID	0	0	0	0	0	
AMIMAL ID	0	0	0	0	0	
	0	0	0	0	0	
	1	1	1	1	1	
	1	2	3	4	5	*TOTALS

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X ..Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION

DAY ON TECT A A A A A

CAS Number: 79-43-6

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Male 62.5 MG/KG

Respiratory System

Special Senses System

SYSTEMIC LESIONS

Multiple Organ

Lung

NONE **Urinary System**

Kidney

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

	0 0 1	0 0 1 7	0 0 1		0 0 1	DAY ON TEST
*TOTALS	7 0 0 0 1 5	0 0 0 1 4	7 0 0 0 1 3	7 0 0 0 1 2	7 0 0 0 1 1	ANIMAL ID
Ę	+	+	+	+	+	
ţ	+	+	+	+	+	

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

5

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X ..Lesion present

Test Compound: Water disinfection model (Dichloroacetic acid)

5

5

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
125	MG/KG	

AY ON TEST	0 0 1	0 0 1	0 0 1	0 0 1	0 0 1	
	7	7	7	7	7	
ANIMAL ID	0	0	0	0	0	
AMIMAL ID	0	0	0	0	0	
	0	0	0	0	0	
	1	1	1	1	2	
	6	7	8	9	0	*TOTALS

Alimentary System

Liver + + + + +

D

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + +

Musculoskeletal System

NONE

Nervous System

NONE

I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X ..Lesion present

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION

Test Type: 14-DAY

CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

First Dose M/F: NA / NA

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

Lab: BAT

FVB/N Mouse Male 125 MG/KG	DAY ON TEST ANIMAL ID	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	0 0 1 7 0 0 0	
		1 6	1 7	1 8	1 9	2 0	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
250	MG/KG	

DAY ON TEST	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	
ANIMAL ID	0 0 0 2 1	0 0 0 2 2	0 0 0 2 3	0 0 0 2 4	0 0 0 2 5	

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X ..Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Route: SKIN APPLICATION

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Male 250 MG/KG	DAY ON TEST	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	
	ANIMAL ID	0 0 0 2 1	0 0 0 2 2	0 0 0 2 3	0 0 0 2 4	0 0 0 2 5	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

I .. Insufficient tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

M .. Missing tissue

Test Compound: Water disinfection model (Dichloroacetic acid)

5

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N	Mouse	Male
500	MG/KG	

DAY ON TEST	0	0	0	0	0	
	0	0	0	0	0	
	1	1	1	1	1	
	7	7	7	7	7	
ANIMAL ID	0	0	0	0	0	
AMIMAL ID	0	0	0	0	0	
	0	0	0	0	0	
	2	2	2	2	3	
	6	7	8	9	0	*TOTALS

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X ..Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

Test Compound: Water disinfection model (Dichloroacetic acid)

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

FVB/N Mouse Male	DAY ON TEST	0 0 1	0 0 1	0 0 1	0 0 1	0 0 1	
500 MG/KG	ANIMAL ID	7 0 0 0 2 6	7 0 0 0 2 7	7 0 0 0 2 8	7 0 0 0 2 9	7 0 0 0 3 0	*TOTALS
Respiratory System			•	•	•		
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5 ***END OF MALE DATA***

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

I ..Insufficient tissue

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Female 0 MG/KG

Route: SKIN APPLICATION

DAY ON TEST 0 0 0 0 0 0 *1 7 1 7 1 7 1 7* 0 0 0 0 ANIMAL ID Õ 0 0 3 2 0 0 0 3 1 0 0 0 3 3 5 3

*TOTALS

5

Alimentary System

Liver

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin 5

Musculoskeletal System

NONE

Nervous System

NONE

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

Test Compound: Water disinfection model (Dichloroacetic acid)

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

DAY ON TEST 0 0 0 0 0 0 **FVB/N Mouse Female** *1 7 1 7 1 7* 0 MG/KG 0 0 0 0 0 0 3 2 ANIMAL ID Ō 0 0 3 1 0 3 5 0 0 3 3 *TOTALS **Respiratory System** 5 Lung **Special Senses System** NONE **Urinary System** Kidney 5 **SYSTEMIC LESIONS**

Multiple Organ

M ..Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

5

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X .. Lesion present

I ..Insufficient tissue

 $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

	DAY ON TEST	0	0	0
FVB/N Mouse Female	DAY ON TEST	0	0	0
ryb/in iviouse remaie		1	1	1
31.25 MG/KG				
	ANIMAL ID	0	0	0
	AMIMAL ID	0	0	0

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X .. Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Female 31.25 MG/KG	DAY ON TEST	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	
	ANIMAL ID	00036	0 0 0 3 7	0 0 0 3 8	0 0 0 3 9	0 0 0 4 0	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

0

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

	DAY ON TEST	0	0
FVB/N Mouse Female			
62.5 MG/KG		7	7
	ANIMAL ID	0	0

0 0 0 *1 7 1 7 1 7* 0 0 0 Ō 0 0 0 0 4 2 0 4 1 0 0 0 4 5 4

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

I ..Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X .. Lesion present

Test Compound: Water disinfection model (Dichloroacetic acid)

5

5

5

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

CAS Number: 79-43-6 **Route: SKIN APPLICATION**

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Lung

NONE

Kidney

SYSTEMIC LESIONS

Multiple Organ

DAY ON TEST 0 0 0 0 0 0 **FVB/N Mouse Female** *1 7 1 7 1 7 1 7* 62.5 MG/KG 0 0 0 0 0 0 0 4 2 ANIMAL ID Ō 0 0 0 4 1 0 0 4 5 4 3 *TOTALS **Respiratory System Special Senses System Urinary System**

M .. Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

0 0

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

	DAY ON TEST	0	0	0
FVB/N Mouse Female	DAY ON TEST	0	0	0
ryb/in iviouse remaie		1	1	1
125 MG/KG				
	ANIMAL ID	0	0	0
	AINIIVIAL ID	0	0	0

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X .. Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

FVB/N Mouse Female 125 MG/KG	DAY ON TEST	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	0 0 1 7	
	ANIMAL ID	0 0 0 4 6	0 0 0 4 7	0 0 0 4 8	0 0 0 4 9	0 0 0 5 0	*TOTALS
Respiratory System							
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5
Multiple Organ		+	+	+	+	+	5

I .. Insufficient tissue

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

M .. Missing tissue

A .. Autolysis precludes evaluation

 $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Date Report Requested: 10/23/2014 **Time Report Requested:** 03:20:35

First Dose M/F: NA / NA

Lab: BAT

	DAY ON TEST	0	0	0
FVB/N Mouse Female	DAY ON TEST	0	0	0
FVD/IN WIOUSE FEIIIale		1	1	1
250 MG/KG		7	7	7
	ANIMAL ID	0	0	0
	ANIIVIAL ID	0	0	0

*TOTALS

Alimentary System

Liver + + + + + 5

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

I ..Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X .. Lesion present

Test Compound: Water disinfection model (Dichloroacetic acid)

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

	DAY ON TEST	0	0	0	0	0	
FVB/N Mouse Female 250 MG/KG		0 1 7	0 1 7	0 1 7	0 1 7	0 1 7	
	ANIMAL ID	00051	00052	00053	0 0 0 5 4	0 0 0 5 5	*TOTALS
Respiratory System		•					TOTALO
Lung Special Senses System		+	+	+	+	+	5
NONE Urinary System							
Kidney SYSTEMIC LESIONS		+	+	+	+	+	5

Multiple Organ

M ..Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

5

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..}Tissue examined microscopically

X ..Lesion present

I .. Insufficient tissue

Test Compound: Water disinfection model (Dichloroacetic acid)

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

: water disinfection model (Dichloroacetic act

First Dose M/F: NA / NA

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

Lab: BAT

FVB/N Mouse Female 500 MG/KG DAY ON TEST 0 0 0 0 0 0 *1 7 1 7 1 7 1 7* 0 0 0 0 0 ANIMAL ID Õ 0 0 5 7 0 0 0 5 6 0 0 0 5 8 5 9 6

*TOTALS

5

Alimentary System

Liver + + + + +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

NONE

Integumentary System

Skin + + + + + 5

Musculoskeletal System

NONE

Nervous System

NONE

X .. Lesion present

I .. Insufficient tissue

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

Test Compound: Water disinfection model (Dichloroacetic acid)

Date Report Requested: 10/23/2014

Time Report Requested: 03:20:35

First Dose M/F: NA / NA

Lab: BAT

Route: SKIN APPLICATION CAS Number: 79-43-6

Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

Kidney

SYSTEMIC LESIONS

Multiple Organ

DAY ON TEST 0 0 0 0 0 0 **FVB/N Mouse Female** *1 7 1 7 1 7* MG/KG 500 0 0 0 0 0 0 5 7 ANIMAL ID Ō 0 0 5 6 0 0 0 5 8 5 9 6 *TOTALS **Respiratory System** 5 Lung **Special Senses System** NONE **Urinary System**

** END OF REPORT **

5

M ..Missing tissue

A .. Autolysis precludes evaluation

^{* ..}Total animals with tissue examined microscopically; Total animals with tumor

^{+ ..} Tissue examined microscopically

X .. Lesion present

I ..Insufficient tissue