Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

E03: TDMS CAMERA-READY GROWTH CURVE

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014
Time Report Requested: 00:38:01

First Dose M/F: NA / NA

Lab: BAT

C Number: C97013D

Lock Date: 11/09/1999

Cage Range: All

Date Range: All

Reasons For Removal:

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

PWG Approval Date NONE

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

E03: TDMS CAMERA-READY GROWTH CURVE

Test Compound: Water disinfection model (Dichloroacetic acid)


CAS Number: 79-43-6

Date Report Requested: 10/21/2014 Time Report Requested: 00:38:01

First Dose M/F: NA / NA

Lab: BAT

MALE



Test Type: 14-DAY

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

E03: TDMS CAMERA-READY GROWTH CURVE

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014 Time Report Requested: 00:38:02

First Dose M/F: NA / NA

Lab: BAT

END OF MALE DATA

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

Test Type: 14-DAY

E03: TDMS CAMERA-READY GROWTH CURVE

Test Compound: Water disinfection model (Dichloroacetic acid)


CAS Number: 79-43-6

Date Report Requested: 10/21/2014 Time Report Requested: 00:38:02

First Dose M/F: NA / NA

Lab: BAT

FEMALE



Test Type: 14-DAY

Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

E03: TDMS CAMERA-READY GROWTH CURVE

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

** END OF REPORT **

Date Report Requested: 10/21/2014 Time Report Requested: 00:38:02

First Dose M/F: NA / NA

Lab: BAT