

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

C Number: C89006
Lock Date: Not Entered.
Cage Range: All
Date Range: All
Reasons For Removal: All
Removal Date Range: All
Treatment Groups: All
Study Gender: Both
PWG Approval Date: NONE

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

| MALE | | | | | | | | | | | |
|----------|-------------|----|--------------|-----------|----|--------------|-----------|----|---------------|-----------|----|
| DAY | 0 U 0 MG/KG | | 0 U 500MG/KG | | | 0 U 1K MG/KG | | | 500 U 0 MG/KG | | |
| | WT(g) | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 27.1 | 10 | 26.2 | 96.9 | 10 | 26.9 | 99.3 | 10 | 26.6 | 98.3 | 10 |
| 8 | | | | | | 26.6 | | 9 | | | |
| 9 | 27.3 | 10 | 26.7 | 97.7 | 10 | | | | 26.8 | 98.2 | 10 |
| 15 | | | | | | 27.3 | | 9 | | | |
| 16 | 27.9 | 10 | 27.7 | 99.5 | 10 | | | | 28.3 | 101.5 | 10 |
| 22 | | | | | | 28.1 | | 9 | | | |
| 23 | 28.6 | 10 | 27.8 | 97.4 | 10 | | | | 29.3 | 102.5 | 10 |
| TERM SAC | 29.0 | 10 | 28.4 | 98.1 | 10 | | | | 29.5 | 101.8 | 10 |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
 Test Type: 18-33 DAYS
 Route: SUBCUTANEOUS
 Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
 Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
 CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
 Time Report Requested: 08:18:28
 First Dose M/F: NA / NA
 Lab: SRI

MALE

| DAY | 500 U 500MG/KG | | | 500 U 1K MG/KG | | | 5000 U 0 MG/KG | | | 5000 U 500MG/KG | | |
|-------------|----------------|-----------|----|----------------|-----------|----|----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 26.3 | 97.0 | 20 | 27.8 | 102.6 | 20 | 26.6 | 98.3 | 10 | 27.6 | 102.0 | 20 |
| 8 | | | | 27.6 | | 20 | | | | 27.2 | | 20 |
| 9 | 26.4 | 96.5 | 20 | | | | 26.3 | 96.3 | 10 | | | |
| 15 | | | | 27.8 | | 20 | | | | 28.3 | | 20 |
| 16 | 27.9 | 100.3 | 20 | | | | 27.3 | 97.9 | 10 | | | |
| 22 | | | | 27.8 | | 20 | | | | 28.4 | | 20 |
| 23 | 28.4 | 99.5 | 20 | | | | 28.4 | 99.3 | 10 | | | |
| TERM SAC | 29.2 | 100.8 | 20 | | | | 29.0 | 100.1 | 10 | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

MALE

| DAY | 5000 U 1K MG/KG | | | 50 K U 0 MG/KG | | | 50 K U 500MG/KG | | | 50 K U 1K MG/KG | | |
|-------------|-----------------|-----------|----|----------------|-----------|----|-----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 27.5 | 101.6 | 20 | 25.8 | 95.3 | 20 | 27.3 | 100.8 | 20 | 26.2 | 96.5 | 40 |
| 8 | 27.1 | | 20 | | | | 27.1 | | 20 | 26.0 | | 40 |
| 9 | | | | 25.8 | 94.6 | 20 | | | | | | |
| 15 | 27.5 | | 20 | | | | 27.2 | | 20 | 26.9 | | 40 |
| 16 | | | | 26.8 | 96.3 | 20 | | | | | | |
| 22 | 28.2 | | 20 | | | | 27.9 | | 20 | 27.9 | | 40 |
| 23 | | | | 27.7 | 97.2 | 20 | | | | | | |
| TERM SAC | | | | 28.8 | 99.6 | 20 | | | | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

MALE

| DAY | 50 K U 0 MG/KG | | | 50 K U 1K MG/KG | | |
|-------------|----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 25.8 | 95.3 | 20 | 26.2 | 96.5 | 40 |
| 8 | | | | 26.0 | | 40 |
| 9 | 25.8 | 94.6 | 20 | | | |
| 15 | | | | 26.9 | | 40 |
| 16 | 26.8 | 96.3 | 20 | | | |
| 22 | | | | 27.9 | | 40 |
| 23 | 27.7 | 97.2 | 20 | | | |
| TERM SAC | 28.8 | 99.6 | 20 | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01

Test Type: 18-33 DAYS

Route: SUBCUTANEOUS

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)

CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014

Time Report Requested: 08:18:28

First Dose M/F: NA / NA

Lab: SRI

END OF MALE DATA

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

| FEMALE | | | | | | | | | | | |
|----------|-------------|----|--------------|-----------|----|--------------|-----------|----|---------------|-----------|----|
| DAY | 0 U 0 MG/KG | | 0 U 500MG/KG | | | 0 U 1K MG/KG | | | 500 U 0 MG/KG | | |
| | WT(g) | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 21.1 | 10 | 20.8 | 98.8 | 10 | 21.7 | 102.9 | 10 | 21.1 | 100.0 | 10 |
| 7 | | | | | | 21.7 | | 10 | | | |
| 8 | 21.4 | 10 | 21.3 | 99.7 | 10 | | | | 21.7 | 101.2 | 10 |
| 14 | | | | | | 22.1 | | 10 | | | |
| 15 | 22.3 | 10 | 21.9 | 98.3 | 10 | | | | 22.5 | 101.0 | 10 |
| 21 | | | | | | 23.3 | | 10 | | | |
| 22 | 23.5 | 10 | 22.7 | 97.0 | 10 | | | | 23.7 | 100.9 | 10 |
| TERM SAC | 24.3 | 10 | 23.9 | 98.7 | 10 | | | | 24.2 | 99.8 | 10 |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

FEMALE

| DAY | 500 U 500MG/KG | | | 500 U 1K MG/KG | | | 5000 U 0 MG/KG | | | 5000 U 500MG/KG | | |
|----------|----------------|-----------|----|----------------|-----------|----|----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 20.6 | 97.9 | 20 | 20.8 | 98.6 | 20 | 20.9 | 99.3 | 10 | 21.0 | 99.4 | 20 |
| 7 | | | | 22.0 | | 20 | | | | 22.2 | | 20 |
| 8 | 21.2 | 99.2 | 20 | | | | 21.9 | 102.2 | 10 | | | |
| 14 | | | | 22.2 | | 20 | | | | 22.8 | | 20 |
| 15 | 21.7 | 97.3 | 20 | | | | 22.8 | 102.1 | 10 | | | |
| 21 | | | | 22.9 | | 20 | | | | 23.5 | | 20 |
| 22 | 22.7 | 97.0 | 20 | | | | 23.9 | 101.7 | 10 | | | |
| TERM SAC | 23.7 | 97.8 | 20 | | | | 24.9 | 102.8 | 10 | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

FEMALE

| DAY | 5000 U 1K MG/KG | | | 50 K U 0 MG/KG | | | 50 K U 500MG/KG | | | 50 K U 1K MG/KG | | |
|-------------|-----------------|-----------|----|----------------|-----------|----|-----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 20.9 | 99.1 | 20 | 21.1 | 100.2 | 20 | 20.5 | 97.1 | 20 | 21.6 | 102.3 | 40 |
| 7 | 21.6 | | 20 | | | | 21.3 | | 20 | 22.5 | | 40 |
| 8 | | | | 22.2 | 103.7 | 20 | | | | | | |
| 14 | 22.1 | | 20 | | | | 21.9 | | 20 | 22.4 | | 40 |
| 15 | | | | 23.2 | 103.8 | 20 | | | | | | |
| 21 | 22.7 | | 20 | | | | 23.2 | | 18 | 23.6 | | 40 |
| 22 | | | | 24.4 | 103.9 | 20 | | | | | | |
| TERM SAC | | | | 25.4 | 104.6 | 20 | | | | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
 (*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01
Test Type: 18-33 DAYS
Route: SUBCUTANEOUS
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE
Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)
CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014
Time Report Requested: 08:18:28
First Dose M/F: NA / NA
Lab: SRI

FEMALE

| DAY | 50 K U 0 MG/KG | | | 50 K U 1K MG/KG | | |
|----------|----------------|-----------|----|-----------------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 21.1 | 100.2 | 20 | 21.6 | 102.3 | 40 |
| 7 | | | | 22.5 | | 40 |
| 8 | 22.2 | 103.7 | 20 | | | |
| 14 | | | | 22.4 | | 40 |
| 15 | 23.2 | 103.8 | 20 | | | |
| 21 | | | | 23.6 | | 40 |
| 22 | 24.4 | 103.9 | 20 | | | |
| TERM SAC | 25.4 | 104.6 | 20 | | | |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY
(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 89006-01

Test Type: 18-33 DAYS

Route: SUBCUTANEOUS

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Interferon AD + 3'-azido-3'-deoxythymidine (AIDS Initiative)

CAS Number: INTAZTCOMB

Date Report Requested: 10/24/2014

Time Report Requested: 08:18:28

First Dose M/F: NA / NA

Lab: SRI

**** END OF REPORT ****

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.