

Experiment Number: 97013-02
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY
Test Compound: Water disinfection model (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/21/2014
Time Report Requested: 00:38:25
First Dose M/F: NA / NA
Lab: BAT

| | |
|-----------------------------|------------|
| C Number: | C97013D |
| Lock Date: | 11/09/1999 |
| Cage Range: | All |
| Date Range: | All |
| Reasons For Removal: | All |
| Removal Date Range: | All |
| Treatment Groups: | All |
| Study Gender: | Both |
| PWG Approval Date | NONE |

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 0 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 1 | 00001 | 9908261 | | | Y N |
| 2 | 00002 | 9908262 | | | Y N |
| 3 | 00003 | 9908263 | | | Y N |
| 4 | 00004 | 9908264 | | | Y N |
| 5 | 00005 | 9908265 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 31.25 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 6 | 00006 | 9908266 | | | Y N |
| 7 | 00007 | 9908267 | | | Y N |
| 8 | 00008 | 9908268 | | | Y N |
| 9 | 00009 | 9908269 | | | Y N |
| 10 | 00010 | 9908270 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 62.5 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 11 | 00011 | 9908271 | | | Y N |
| 12 | 00012 | 9908272 | | | Y N |
| 13 | 00013 | 9908273 | | | Y N |
| 14 | 00014 | 9908274 | | | Y N |
| 15 | 00015 | 9908275 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 125 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 16 | 00016 | 9908276 | | | Y N |
| 17 | 00017 | 9908277 | | | Y N |
| 18 | 00018 | 9908278 | | | Y N |
| 19 | 00019 | 9908279 | | | Y N |
| 20 | 00020 | 9908280 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 250 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 21 | 00021 | 9908281 | | | Y N |
| 22 | 00022 | 9908282 | | | Y N |
| 23 | 00023 | 9908283 | | | Y N |
| 24 | 00024 | 9908284 | | | Y N |
| 25 | 00025 | 9908285 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: MALE

DOSE LEVEL: 500 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 26 | 00026 | 9908286 | | | Y N |
| 27 | 00027 | 9908287 | | | Y N |
| 28 | 00028 | 9908288 | | | Y N |
| 29 | 00029 | 9908289 | | | Y N |
| 30 | 00030 | 9908290 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 0 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 31 | 00031 | 9908291 | | | Y N |
| 32 | 00032 | 9908292 | | | Y N |
| 33 | 00033 | 9908293 | | | Y N |
| 34 | 00034 | 9908294 | | | Y N |
| 35 | 00035 | 9908295 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 31.25 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 36 | 00036 | 9908296 | | | Y N |
| 37 | 00037 | 9908297 | | | Y N |
| 38 | 00038 | 9908298 | | | Y N |
| 39 | 00039 | 9908299 | | | Y N |
| 40 | 00040 | 9908300 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 62.5 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 41 | 00041 | 9908301 | | | Y N |
| 42 | 00042 | 9908302 | | | Y N |
| 43 | 00043 | 9908303 | | | Y N |
| 44 | 00044 | 9908304 | | | Y N |
| 45 | 00045 | 9908305 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 125 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 46 | 00046 | 9908306 | | | Y N |
| 47 | 00047 | 9908307 | | | Y N |
| 48 | 00048 | 9908308 | | | Y N |
| 49 | 00049 | 9908309 | | | Y N |
| 50 | 00050 | 9908310 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 250 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 51 | 00051 | 9908311 | | | Y N |
| 52 | 00052 | 9908312 | | | Y N |
| 53 | 00053 | 9908313 | | | Y N |
| 54 | 00054 | 9908314 | | | Y N |
| 55 | 00055 | 9908315 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 97013-02

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/FVB/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection model (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/21/2014

Time Report Requested: 00:38:25

First Dose M/F: NA / NA

Lab: BAT

SPECIES: Mouse

STRAIN: FVB/N

SEX: FEMALE

DOSE LEVEL: 500 MG/KG

| CID NUMBER | INDIVIDUAL ANIMAL NO. | HISTO NUMBER | NMBR OF SLIDES | NMBR OF BLOCKS | WET TISSUE |
|------------|-----------------------|--------------|----------------|----------------|------------|
| 56 | 00056 | 9908316 | | | Y N |
| 57 | 00057 | 9908317 | | | Y N |
| 58 | 00058 | 9908318 | | | Y N |
| 59 | 00059 | 9908319 | | | Y N |
| 60 | 00060 | 9908320 | | | Y N |

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)