

Experiment Number: 96016-02
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014
Time Report Requested: 15:13:48
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96016
Lock Date:	01/11/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				67 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.6	706	22.6	10	4.2	950	22.3	10	1.17	12.6	4.0	855	23.1	10	1.11	21.6
2	3.6	1690	24.4	10	3.9	1621	24.7	10	1.08	10.6	4.1	1601	25.2	10	1.14	20.3
3	3.5	1690	26.0	10	3.8	1394	26.0	10	1.09	9.8	4.0	1547	26.8	10	1.14	18.7
4	3.9	1675	27.4	10	4.2	1576	26.9	10	1.08	10.5	4.2	1357	28.0	10	1.08	18.8
5	3.5	1661	28.1	10	4.3	1680	27.3	10	1.23	10.6	3.7	1651	28.4	10	1.06	16.3
6	4.2	1680	29.2	10	3.9	1680	28.7	10	0.93	9.1	3.9	1607	29.6	10	0.93	16.5
7	3.9	1598	31.1	10	3.9	1670	30.0	10	1.00	8.7	4.3	1622	31.0	10	1.10	17.3
8	3.7	1536	32.4	10	3.9	1608	31.5	10	1.05	8.3	3.5	1512	32.5	10	0.95	13.5
9	3.8	1632	33.2	10	3.7	1537	32.5	10	0.97	7.6	3.9	1685	33.6	10	1.03	14.5
10	3.6	1680	34.5	10	3.4	1680	33.8	10	0.94	6.7	4.0	1574	35.0	10	1.11	14.3
11	3.6	1522	35.6	10	3.7	1574	35.3	10	1.03	7.0	3.5	1670	36.3	10	0.97	12.1
12	3.5	1630	36.1	10	3.5	1655	35.8	10	1.00	6.6	3.8	1680	36.8	10	1.09	12.9
13	4.0	1650	38.0	10	3.6	1650	37.4	10	0.90	6.4	3.5	1650	38.5	10	0.88	11.4
14	4.1	661			3.8	690			0.93		3.3	690			0.80	

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

MALE

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.0	831	22.5	10	1.11	44.4	3.9	855	22.5	10	1.08	86.7
2	4.0	1594	24.1	10	1.11	41.5	4.1	1498	24.3	10	1.14	84.4
3	3.8	1690	25.8	10	1.09	36.8	3.7	1690	26.2	10	1.06	70.6
4	4.0	1670	27.0	10	1.03	37.0	3.7	1597	27.3	10	0.95	67.8
5	4.1	1598	27.7	10	1.17	37.0	3.5	1575	27.5	10	1.00	63.6
6	3.8	1680	29.2	10	0.90	32.5	3.5	1487	28.5	10	0.83	61.4
7	3.9	1622	30.3	10	1.00	32.2	3.7	1645	30.0	10	0.95	61.7
8	4.1	1680	31.9	10	1.11	32.1	3.5	1690	31.8	10	0.95	55.0
9	3.9	1682	33.1	10	1.03	29.5	3.6	1584	33.0	10	0.95	54.5
10	3.3	1574	34.2	10	0.92	24.1	4.0	1672	34.0	10	1.11	58.8
11	3.4	1526	35.0	10	0.94	24.3	3.3	1622	35.4	10	0.92	46.6
12	3.5	1583	35.7	10	1.00	24.5	3.4	1680	35.9	10	0.97	47.4
13	3.8	1650	37.5	10	0.95	25.3	3.5	1603	37.2	10	0.88	47.0
14	4.1	588			1.00		3.6	662			0.88	

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

MALE

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.5	950	22.1	10	0.97	158.4
2	4.2	1690	24.5	10	1.17	171.4
3	3.9	1667	26.2	10	1.11	148.9
4	3.9	1670	27.4	10	1.00	142.3
5	3.7	1557	28.1	10	1.06	131.7
6	3.9	1656	29.3	10	0.93	133.1
7	3.6	1670	30.4	10	0.92	118.4
8	3.8	1680	31.7	10	1.03	119.9
9	3.6	1680	32.7	10	0.95	110.1
10	3.2	1680	34.0	10	0.89	94.1
11	3.7	1430	35.3	10	1.03	104.8
12	3.4	1655	35.3	10	0.97	96.3
13	3.8	1556	36.9	10	0.95	103.0
14	3.3	662			0.80	

END OF MALE DATA

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				67 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.4	1198	18.3	10	3.4	1201	18.4	10	1.00	12.4	3.5	1202	18.8	10	1.03	23.3
2	3.3	1692	18.8	10	3.6	1692	18.8	10	1.09	12.8	3.4	1692	19.9	10	1.03	21.4
3	3.9	1684	20.0	10	3.5	1684	20.9	10	0.90	11.2	3.3	1684	21.1	10	0.85	19.5
4	4.6	1684	21.2	10	3.4	1682	21.4	10	0.74	10.6	3.4	1682	22.2	10	0.74	19.1
5	4.1	1670	21.9	10	3.6	1670	22.4	10	0.88	10.8	3.9	1096	23.0	10	0.95	21.2
6	3.7	1680	23.1	10	3.6	1680	23.6	10	0.97	10.2	3.6	1680	24.5	10	0.97	18.4
7	3.5	1670	24.5	10	3.4	1672	24.5	10	0.97	9.3	3.8	1670	25.9	10	1.09	18.3
8	3.3	1684	24.5	10	3.6	1682	24.8	10	1.09	9.7	4.1	1682	26.3	10	1.24	19.5
9	3.8	1676	25.3	10	4.3	1676	26.0	10	1.13	11.1	3.5	1687	27.9	10	0.92	15.7
10	3.5	1685	25.7	10	3.8	1684	26.9	10	1.09	9.5	3.5	1674	28.7	10	1.00	15.2
11	3.7	1674	27.7	10	3.3	1674	28.3	10	0.89	7.8	3.5	1674	30.1	10	0.95	14.5
12	3.5	1680	28.8	10	3.4	954	28.6	10	0.97	8.0	3.5	1323	31.4	10	1.00	13.9
13	3.5	1647	28.4	10	4.2	1524	28.6	10	1.20	9.8	3.6	1163	31.4	10	1.03	14.3
14	3.5	450			4.3	450			1.23		3.8	449			1.09	

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.3	1202	18.5	10	0.97	44.6	2.9	960	19.0	10	0.85	76.3
2	3.8	1692	19.1	10	1.15	49.7	3.1	1690	19.6	10	0.94	79.1
3	3.1	1682	20.8	10	0.79	37.3	4.5	1683	21.0	10	1.15	107.1
4	3.4	1682	21.7	10	0.74	39.2	4.1	1314	21.9	10	0.89	93.6
5	3.5	1672	22.2	10	0.85	39.4	3.0	1673	21.7	10	0.73	69.1
6	3.5	1680	23.4	10	0.95	37.4	3.6	1682	23.4	10	0.97	76.9
7	3.5	1197	24.6	10	1.00	35.6	3.4	1670	24.7	10	0.97	68.8
8	3.5	1682	25.0	10	1.06	35.0	3.3	1682	26.2	10	1.00	63.0
9	3.3	1688	25.9	10	0.87	31.9	2.9	1688	26.5	10	0.76	54.7
10	3.2	1674	25.6	10	0.91	31.3	3.0	1674	26.5	10	0.86	56.6
11	3.5	1674	27.0	10	0.95	32.4	2.8	956	28.5	10	0.76	49.1
12	4.7	1680	28.1	10	1.34	41.8	4.5	1679	28.6	10	1.29	78.7
13	4.1	1648	27.7	10	1.17	37.0	3.8	1649	28.8	10	1.09	66.0
14	3.2	449			0.91		3.5	224			1.00	

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.9	1206	18.4	10	0.85	157.6
2	3.4	1690	19.1	10	1.03	178.0
3	3.1	1684	20.5	10	0.79	151.2
4	3.2	1680	21.2	10	0.70	150.9
5	3.1	1672	21.7	10	0.76	142.9
6	3.2	1684	23.3	10	0.86	137.3
7	3.7	1668	24.1	10	1.06	153.5
8	2.9	1684	24.9	10	0.88	116.5
9	3.0	1686	26.3	10	0.79	114.1
10	3.0	1676	26.5	10	0.86	113.2
11	3.1	1672	29.1	10	0.84	106.5
12	3.0	1679	29.9	10	0.86	100.3
13	3.0	1648	28.9	10	0.86	103.8
14	3.4	448			0.97	

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:13:48

First Dose M/F: NA / NA

Lab: SRI

**** END OF REPORT ****