

Experiment Number: 96010-01
Test Type: 21-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY
Test Compound: Water disinfection byproducts (Sodium chlorate)
CAS Number: 7775-09-9

Date Report Requested: 10/20/2014
Time Report Requested: 17:37:00
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96010A
Lock Date:	09/25/1998
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	98-83590	Y N
2	00002	98-83591	Y N
3	00003	98-83592	Y N
4	00004	98-83593	Y N
5	00005	98-83594	Y N
6	00006	98-83595	Y N
7	00007	98-83596	Y N
8	00008	98-83597	Y N
9	00009	98-83598	Y N
10	00010	98-83599	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
21	00021	98-83610	Y N
22	00022	98-83611	Y N
23	00023	98-83612	Y N
24	00024	98-83613	Y N
25	00025	98-83614	Y N
26	00026	98-83615	Y N
27	00027	98-83616	Y N
28	00028	98-83617	Y N
29	00029	98-83618	Y N
30	00030	98-83619	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
31	00031	98-83620	Y N
32	00032	98-83621	Y N
33	00033	98-83622	Y N
34	00034	98-83623	Y N
35	00035	98-83624	Y N
36	00036	98-83625	Y N
37	00037	98-83626	Y N
38	00038	98-83627	Y N
39	00039	98-83628	Y N
40	00040	98-83629	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 1000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
41	00041	98-83630	Y N
42	00042	98-83631	Y N
43	00043	98-83632	Y N
44	00044	98-83633	Y N
45	00045	98-83634	Y N
46	00046	98-83635	Y N
47	00047	98-83636	Y N
48	00048	98-83637	Y N
49	00049	98-83638	Y N
50	00050	98-83639	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 2000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	98-83640	Y N
52	00052	98-83641	Y N
53	00053	98-83642	Y N
54	00054	98-83643	Y N
55	00055	98-83644	Y N
56	00056	98-83645	Y N
57	00057	98-83646	Y N
58	00058	98-83647	Y N
59	00059	98-83648	Y N
60	00060	98-83649	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00011	Y N
	00012	Y N
	00013	Y N
	00014	Y N
	00020	Y N
	00016	Y N
	00017	Y N
	00018	Y N
	00019	Y N
	00015	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	98-83650	Y N
62	00062	98-83651	Y N
63	00063	98-83652	Y N
64	00064	98-83653	Y N
65	00065	98-83654	Y N
66	00066	98-83655	Y N
67	00067	98-83656	Y N
68	00068	98-83657	Y N
69	00069	98-83658	Y N
70	00070	98-83659	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
71	00071	98-83660	Y N
72	00072	98-83661	Y N
73	00073	98-83662	Y N
74	00074	98-83663	Y N
75	00075	98-83664	Y N
76	00076	98-83665	Y N
77	00077	98-83666	Y N
78	00078	98-83667	Y N
79	00079	98-83668	Y N
80	00080	98-83669	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
81	00081	98-83670	Y N
82	00082	98-83671	Y N
83	00083	98-83672	Y N
84	00084	98-83673	Y N
85	00085	98-83674	Y N
86	00086	98-83675	Y N
87	00087	98-83676	Y N
88	00088	98-83677	Y N
89	00089	98-83678	Y N
90	00090	98-83679	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:00

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
91	00091	98-83680	Y N
92	00092	98-83681	Y N
93	00093	98-83682	Y N
94	00094	98-83683	Y N
95	00095	98-83684	Y N
96	00096	98-83685	Y N
97	00097	98-83686	Y N
98	00098	98-83687	Y N
99	00099	98-83688	Y N
100	00100	98-83689	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:01

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 1000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
101	00101	98-83690	Y N
102	00102	98-83691	Y N
103	00103	98-83692	Y N
104	00104	98-83693	Y N
105	00105	98-83694	Y N
106	00106	98-83695	Y N
107	00107	98-83696	Y N
108	00108	98-83697	Y N
109	00109	98-83698	Y N
110	00110	98-83699	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-01

Test Type: 21-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/20/2014

Time Report Requested: 17:37:01

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 2000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	98-83700	Y N
112	00112	98-83701	Y N
113	00113	98-83702	Y N
114	00114	98-83703	Y N
115	00115	98-83704	Y N
116	00116	98-83705	Y N
117	00117	98-83706	Y N
118	00118	98-83707	Y N
119	00119	98-83708	Y N
120	00120	98-83709	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)