

**Experiment Number:** 96016-01

**Species/Strain:** Rat/Fischer 344

**P43: Terminal Sacrifice Hematology Data**

**Date Report Requested:** 10/24/2014

**Time Report Requested:** 15:59:31

**First Dose M/F:** NA / NA

**Lab:** NA

**C Number:** C96016

**Cage Range:** All

**Date Range:** All

**Reasons For Removal:** All

**Removal Date Range:** All

**Treatment Groups:** All

**Study Gender:** Both

Experiment Number: 96016-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Basophil Count 1000 per uL	Eosinophil Count	Hematocrit %	Hematocrit Manual %	Hemoglobin g per dL	Large Unstained Cells Count 1000 per uL
------------------	-------------------------------	------------------	-----------------	---------------------------	------------------------	---

Day 92

0 mg/L	0 ± 0	0.1 ± 0.2	47 ± 2.2	44.5 ± 11	15.5 ± 0.7	0.2 ± 0.1
67 mg/L	0 ± 0	0.1 ± 0	46.7 ± 2.1	46.8 ± 2.5	15.3 ± 0.7	0.1 ± 0
125 mg/L	0 ± 0	0.1 ± 0	47.2 ± 1.8	44.6 ± 11.3	15.4 ± 0.6	0.1 ± 0.1
250 mg/L	0 ± 0	0.1 ± 0	46.9 ± 1.9	47 ± 2	15.3 ± 0.6	0.2 ± 0
500 mg/L	0 ± 0	0.1 ± 0	46 ± 2.6	46.4 ± 2.3	15.1 ± 0.7	0.1 ± 0
1000 mg/L	0 ± 0*	0.1 ± 0.1	45.6 ± 1.5*	44.1 ± 10.4	14.7 ± 0.5**	0.1 ± 0

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 96016-01

## P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Species/Strain: Rat/Fischer 344

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

## MALE

Treatment Groups	Lymphocyte Count 1000 per uL	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL	Mean Corpuscular Volume fL	Monocyte Count 1000 per uL	Neutrophil Count 1000 per uL
------------------	---------------------------------	----------------------------	--	-------------------------------	-------------------------------	---------------------------------

## Day 92

<b>0 mg/L</b>	7.3 ± 1.6	18.1 ± 1.3	32.9 ± 0.5	54.8 ± 4	0.6 ± 2	0.9 ± 0.5
<b>67 mg/L</b>	7 ± 1.2	18 ± 1.5	32.8 ± 0.4	55 ± 4.3	0.2 ± 0.1	1.1 ± 0.4
<b>125 mg/L</b>	6.7 ± 1.8	18.1 ± 1.4	32.7 ± 0.5	55.4 ± 4.2	0.5 ± 1.3	0.9 ± 0.6
<b>250 mg/L</b>	7.2 ± 1.1	17.9 ± 1.4	32.6 ± 0.4	54.7 ± 4.1	0.2 ± 0	1.2 ± 0.5
<b>500 mg/L</b>	<b>6.6 ± 1.1*</b>	17.7 ± 1.2	32.8 ± 0.7	54.1 ± 3.8	<b>0.2 ± 0*</b>	1 ± 0.4
<b>1000 mg/L</b>	<b>6.3 ± 1.7*</b>	17.7 ± 1.4	<b>32.3 ± 0.5**</b>	53.9 ± 4.5	<b>0.6 ± 2*</b>	1 ± 0.5

\*p &lt; 0.05

\*\*p &lt; 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 96016-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Nucleated Rbc Per 100 Wbc per 100 WC	Platelet Count 1000 per uL	Red Blood Cell Count million per uL	Reticulocyte Count million per uL	White Blood Cell Count 1000 per uL
------------------	--------------------------------------	----------------------------	-------------------------------------	-----------------------------------	------------------------------------

Day 92

0 mg/L	0.4 ± 0.8	586.4 ± 219.7	8.4 ± 0.8	0.4 ± 0.1	9.3 ± 1.2
67 mg/L	0.3 ± 0.6	623.4 ± 174.9	8.4 ± 0.9	0.4 ± 0.1	8.6 ± 1.4
125 mg/L	0.8 ± 1	593.4 ± 232.1	8.4 ± 0.8	0.4 ± 0.1	8.6 ± 1.1
250 mg/L	0.3 ± 0.6	676 ± 75.6	8.3 ± 0.8	0.3 ± 0.1	8.8 ± 1
500 mg/L	0.5 ± 0.8	698 ± 111.7	8.4 ± 0.8	0.3 ± 0.1	<b>7.9 ± 1.3**</b>
1000 mg/L	0.5 ± 1	658.4 ± 91.4	8.5 ± 0.7	0.3 ± 0.1	<b>8.1 ± 1.6**</b>

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 96016-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Basophil Count 1000 per uL	Eosinophil Count	Hematocrit %	Hematocrit Manual %	Hemoglobin g per dL	Large Unstained Cells Count 1000 per uL
------------------	-------------------------------	------------------	-----------------	---------------------------	------------------------	---

Day 92

0 mg/L	0 ± 0	0.1 ± 0	45.9 ± 2.3	41.9 ± 14.7	15.1 ± 0.7	0.2 ± 0.1
67 mg/L	0 ± 0	0.1 ± 0.1	46.2 ± 0.9	39.4 ± 16.9	15.2 ± 0.5	0.1 ± 0.1
125 mg/L	0 ± 0	0.1 ± 0	46.1 ± 1.1	41.6 ± 14.2	15.1 ± 0.3	0.1 ± 0.1
250 mg/L	0 ± 0	0.1 ± 0	46.5 ± 1.4	43.9 ± 10.7	15.2 ± 0.5	0.1 ± 0.1
500 mg/L	0 ± 0	0.1 ± 0	44 ± 1.1**	40.2 ± 13.8**	14.5 ± 0.4**	0.1 ± 0.1
1000 mg/L	0 ± 0	0.1 ± 0	43.3 ± 2.5**	43.7 ± 2.5**	14.1 ± 0.9*	0.1 ± 0.1

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 96016-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Lymphocyte Count 1000 per uL	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL	Mean Corpuscular Volume fL	Monocyte Count 1000 per uL	Neutrophil Count 1000 per uL
------------------	---------------------------------	----------------------------	---	----------------------------------	-------------------------------	---------------------------------

Day 92

0 mg/L	5.1 ± 1.4	19.1 ± 0.4	32.9 ± 0.5	58.3 ± 0.8	0.8 ± 1.9	1.4 ± 0.7
67 mg/L	5.9 ± 2.4	18.4 ± 1.1	33 ± 1	<b>55.8 ± 2.2**</b>	1 ± 2	0.9 ± 0.5
125 mg/L	6.2 ± 2.1	18.4 ± 0.9	32.7 ± 0.7	<b>56.1 ± 2.4*</b>	0.8 ± 1.8	1.1 ± 0.5
250 mg/L	6.3 ± 1.8	<b>18.2 ± 0.9*</b>	32.7 ± 0.8	<b>55.7 ± 1.9**</b>	0.5 ± 1.3	0.9 ± 0.3
500 mg/L	6 ± 2.2	<b>17.6 ± 0.8**</b>	32.8 ± 0.7	<b>53.7 ± 2**</b>	0.6 ± 1.5	1 ± 0.5
1000 mg/L	<b>7 ± 1.3*</b>	<b>18 ± 0.7**</b>	32.5 ± 0.8	<b>52.1 ± 3.2**</b>	0.2 ± 0.1	1.1 ± 0.3

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 96016-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 15:59:31

First Dose M/F: NA / NA

Lab: NA

**FEMALE**

Treatment Groups	Nucleated Rbc Per 100 Wbc per 100 WC	Platelet Count 1000 per uL	Red Blood Cell Count million per uL	Reticulocyte Count million per uL	White Blood Cell Count 1000 per uL
------------------	--------------------------------------	----------------------------	-------------------------------------	-----------------------------------	------------------------------------

**Day 92**

<b>0 mg/L</b>	0.2 ± 0.4	707.9 ± 256.9	7.9 ± 0.4	0.5 ± 0.1	9.5 ± 0.9
<b>67 mg/L</b>	0.6 ± 1	598.1 ± 114.3	8.3 ± 0.4	<b>0.3 ± 0.1**</b>	8 ± 1.3
<b>125 mg/L</b>	0.4 ± 0.7	591.1 ± 85.4	8.2 ± 0.4	<b>0.2 ± 0**</b>	8.2 ± 1.3
<b>250 mg/L</b>	0.4 ± 0.6	610.7 ± 172	8.4 ± 0.3	<b>0.2 ± 0**</b>	7.9 ± 1.4
<b>500 mg/L</b>	0.5 ± 0.9	639.4 ± 123.2	8.2 ± 0.3	<b>0.2 ± 0**</b>	8 ± 1.8
<b>1000 mg/L</b>	0.4 ± 0.7	653.8 ± 66	<b>8.3 ± 0.4*</b>	<b>0.2 ± 0**</b>	8.6 ± 1.4

**\*\* END OF REPORT \*\***

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.