

Experiment Number: 96016-02
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/16/2014
Time Report Requested: 15:11:59
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96016
Lock Date:	01/11/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	00-89677	Y N
2	00002	00-89678	Y N
3	00003	00-89679	Y N
4	00004	00-89680	Y N
5	00005	00-89681	Y N
6	00006	00-89682	Y N
7	00007	00-89683	Y N
8	00008	00-89684	Y N
9	00009	00-89685	Y N
10	00010	00-89686	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
21	00021	00-89697	Y N
22	00022	00-89698	Y N
23	00023	00-89699	Y N
24	00024	00-89700	Y N
25	00025	00-89701	Y N
26	00026	00-89702	Y N
27	00027	00-89703	Y N
28	00028	00-89704	Y N
29	00029	00-89705	Y N
30	00030	00-89706	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
31	00031	00-89707	Y N
32	00032	00-89708	Y N
33	00033	00-89709	Y N
34	00034	00-89710	Y N
35	00035	00-89711	Y N
36	00036	00-89712	Y N
37	00037	00-89713	Y N
38	00038	00-89714	Y N
39	00039	00-89715	Y N
40	00040	00-89716	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
41	00041	00-89717	Y N
42	00042	00-89718	Y N
43	00043	00-89719	Y N
44	00044	00-89720	Y N
45	00045	00-89721	Y N
46	00046	00-89722	Y N
47	00047	00-89723	Y N
48	00048	00-89724	Y N
49	00049	00-89725	Y N
50	00050	00-89726	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	00-89727	Y N
52	00052	00-89728	Y N
53	00053	00-89729	Y N
54	00054	00-89730	Y N
55	00055	00-89731	Y N
56	00056	00-89732	Y N
57	00057	00-89733	Y N
58	00058	00-89734	Y N
59	00059	00-89735	Y N
60	00060	00-89736	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 67 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00011	Y N
	00012	Y N
	00013	Y N
	00014	Y N
	00020	Y N
	00016	Y N
	00017	Y N
	00018	Y N
	00019	Y N
	00015	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	00-89737	Y N
62	00062	00-89738	Y N
63	00063	00-89739	Y N
64	00064	00-89740	Y N
65	00065	00-89741	Y N
66	00066	00-89742	Y N
67	00067	00-89743	Y N
68	00068	00-89744	Y N
69	00069	00-89745	Y N
70	00070	00-89746	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 67 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
71	00071	00-89747	Y N
72	00072	00-89748	Y N
73	00073	00-89749	Y N
74	00074	00-89750	Y N
75	00075	00-89751	Y N
76	00076	00-89752	Y N
77	00077	00-89753	Y N
78	00078	00-89754	Y N
79	00079	00-89755	Y N
80	00080	00-89756	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
81	00081	00-89757	Y N
82	00082	00-89758	Y N
83	00083	00-89759	Y N
84	00084	00-89760	Y N
85	00085	00-89761	Y N
86	00086	00-89762	Y N
87	00087	00-89763	Y N
88	00088	00-89764	Y N
89	00089	00-89765	Y N
90	00090	00-89766	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
91	00091	00-89767	Y N
92	00092	00-89768	Y N
93	00093	00-89769	Y N
94	00094	00-89770	Y N
95	00095	00-89771	Y N
96	00096	00-89772	Y N
97	00097	00-89773	Y N
98	00098	00-89774	Y N
99	00099	00-89775	Y N
100	00100	00-89776	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
101	00101	00-89777	Y N
102	00102	00-89778	Y N
103	00103	00-89779	Y N
104	00104	00-89780	Y N
105	00105	00-89781	Y N
106	00106	00-89782	Y N
107	00107	00-89783	Y N
108	00108	00-89784	Y N
109	00109	00-89785	Y N
110	00110	00-89786	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-02

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/16/2014

Time Report Requested: 15:11:59

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	00-89787	Y N
112	00112	00-89788	Y N
113	00113	00-89789	Y N
114	00114	00-89790	Y N
115	00115	00-89791	Y N
116	00116	00-89792	Y N
117	00117	00-89793	Y N
118	00118	00-89794	Y N
119	00119	00-89795	Y N
120	00120	00-89796	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)