

**Experiment Number:** 96016-01  
**Test Type:** 90-DAY  
**Route:** DOSED WATER  
**Species/Strain:** Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 16:20:44  
**First Dose M/F:** NA / NA  
**Lab:** SRI

<b>C Number:</b>	C96016
<b>Lock Date:</b>	01/11/2001
<b>Cage Range:</b>	All
<b>Date Range:</b>	All
<b>Reasons For Removal:</b>	All
<b>Removal Date Range:</b>	All
<b>Treatment Groups:</b>	All
<b>Study Gender:</b>	Both
<b>PWG Approval Date</b>	NONE

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	0 MG/L				67 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	18.3	1422	114.3	10	15.8	1420	113.0	10	0.86	9.4	16.9	1420	116.0	10	0.92	18.2
2	17.5	1660	150.2	10	17.0	1676	145.6	10	0.97	7.8	17.8	1551	151.5	10	1.02	14.7
3	19.9	1676	182.5	10	17.7	1662	180.6	10	0.89	6.6	19.1	1662	185.5	10	0.96	12.9
4	20.5	1553	215.7	10	18.6	1684	211.8	10	0.91	5.9	20.3	1089	218.1	10	0.99	11.6
5	18.3	1708	244.5	10	17.7	1708	236.5	10	0.97	5.0	18.8	1708	240.1	10	1.03	9.8
6	18.4	712	266.3	10	18.3	712	255.2	10	0.99	4.8	19.8	940	264.0	10	1.08	9.4
7	17.3	1690			19.0	1563	267.9	10	1.10	4.8	17.7	1690	275.8	10	1.02	8.0
8	16.5	1674	295.2	10	17.2	1676	279.1	10	1.04	4.1	16.3	1675	287.3	10	0.99	7.1
9	14.7	1680	312.1	10	17.2	1680	301.7	10	1.17	3.8	15.6	1680	309.0	10	1.06	6.3
10	16.4	1656	327.8	10	15.5	1656	315.3	10	0.95	3.3	15.6	1656	325.1	10	0.95	6.0
11	15.5	1714	330.6	10	15.4	1714	321.1	10	0.99	3.2	15.3	1714	330.0	10	0.99	5.8
12	17.1	1676	343.5	10	14.9	1674	333.8	10	0.87	3.0	16.8	1674	339.4	10	0.98	6.2
13	16.1	1684	353.0	10	15.9	1561	338.7	10	0.99	3.1	16.1	1684	352.0	10	1.00	5.7
14	18.7	160			21.3	160			1.14		20.2	160			1.08	

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	16.7	1418	113.1	10	0.91	36.9	17.9	1418	115.3	10	0.98	77.6
2	17.2	1680	148.0	10	0.98	29.1	18.7	1690	148.7	10	1.07	62.9
3	19.1	1662	181.6	10	0.96	26.3	20.3	1654	180.2	10	1.02	56.3
4	19.0	1684	202.6	10	0.93	23.4	19.7	1684	209.9	10	0.96	46.9
5	17.6	1708	238.6	10	0.96	18.4	18.3	1708	241.3	10	1.00	37.9
6	18.1	712	258.9	10	0.98	17.5	18.9	712	263.8	10	1.03	35.8
7	17.5	1690	276.0	10	1.01	15.9	18.7	1692	280.1	10	1.08	33.4
8	17.1	1676	293.2	10	1.04	14.6	17.6	1193	290.4	10	1.07	30.3
9	16.6	1680	302.7	10	1.13	13.7	18.7	1679	312.9	10	1.27	29.9
10	16.0	1656	323.6	10	0.98	12.4	17.0	1656	330.9	10	1.04	25.7
11	15.6	1715	331.6	10	1.01	11.8	16.2	1716	336.2	10	1.05	24.1
12	17.0	1557	341.5	10	0.99	12.4	17.2	1674	347.4	10	1.01	24.8
13	16.6	1686	340.8	10	1.03	12.2	16.9	1686	354.8	10	1.05	23.8
14	13.2	160			0.71		16.1	158			0.86	

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	15.7	1416	112.6	10	0.86	139.4
2	17.3	1682	139.2	10	0.99	124.3
3	18.6	1662	170.8	10	0.93	108.9
4	18.2	1685	195.9	10	0.89	92.9
5	18.1	1486	216.7	10	0.99	83.5
6	18.9	712	234.6	10	1.03	80.6
7	17.7	1692	244.2	10	1.02	72.5
8	16.7	1468	264.6	10	1.01	63.1
9	16.6	1678	274.3	10	1.13	60.5
10	16.9	1298	287.1	10	1.03	58.9
11	16.3	1716	290.4	10	1.05	56.1
12	16.7	1674	298.5	10	0.98	55.9
13	16.6	1686	299.7	10	1.03	55.4
14	26.0	158			1.39	

\*\*\*END OF MALE DATA\*\*\*

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**FEMALE**

week	0 MG/L				67 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.0	1200	98.4	10	12.6	1198	100.1	10	0.97	8.4	13.2	1196	100.3	10	1.02	16.5
2	13.1	1660	113.5	10	12.9	1676	115.4	10	0.98	7.5	12.8	1678	117.4	10	0.98	13.6
3	13.1	1676	129.0	10	13.2	1195	127.9	10	1.01	6.9	13.0	1662	133.2	10	0.99	12.2
4	13.3	1684	139.4	10	14.7	1684	138.9	10	1.11	7.1	13.6	1684	145.0	10	1.02	11.7
5	12.6	1230	152.6	10	14.5	1486	147.6	10	1.15	6.6	12.8	1708	158.4	10	1.02	10.1
6	14.5	712	155.8	10	16.7	712	155.7	10	1.15	7.2	13.8	712	163.9	10	0.95	10.5
7	12.0	1690	161.6	10	13.4	1690	163.1	10	1.12	5.5	12.9	1690	172.7	10	1.08	9.3
8	11.9	1674	166.0	10	12.9	1674	168.2	10	1.08	5.1	12.0	1676	177.5	10	1.01	8.5
9	11.9	1680	171.6	10	12.7	1680	173.8	10	1.07	4.9	12.6	1680	182.2	10	1.06	8.6
10	12.2	1656	178.7	10	11.7	1656	179.4	10	0.96	4.4	12.6	1656	190.9	10	1.03	8.3
11	11.3	1714	182.0	10	11.6	1714	181.7	10	1.03	4.3	11.0	1714	193.0	10	0.97	7.1
12	11.2	1196	183.2	10	12.1	1674	181.3	10	1.08	4.5	10.0	1436	193.9	10	0.89	6.4
13	10.5	1684	187.2	10	11.5	1684	185.8	10	1.10	4.1	11.1	1685	195.5	10	1.06	7.1
14	12.0	400			9.5	400			0.79		13.1	400			1.09	

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**FEMALE**

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.3	1194	99.5	10	1.02	33.4	12.8	1194	100.2	10	0.98	63.9
2	13.7	1680	115.0	10	1.05	29.8	13.9	1689	115.7	10	1.06	60.1
3	14.0	1662	130.7	10	1.07	26.8	15.1	1654	128.4	10	1.15	58.8
4	13.9	1684	142.4	10	1.05	24.4	14.5	1684	139.4	10	1.09	52.0
5	13.4	956	156.4	10	1.06	21.4	13.5	1708	151.4	10	1.07	44.6
6	13.3	712	160.8	10	0.92	20.7	14.4	712	155.8	10	0.99	46.2
7	13.9	1690	169.2	10	1.16	20.5	13.6	1692	163.5	10	1.13	41.6
8	12.8	1674	175.5	10	1.08	18.2	12.8	1674	169.6	10	1.08	37.7
9	12.3	1680	179.9	10	1.03	17.1	12.5	1678	173.9	10	1.05	35.9
10	12.1	1656	187.7	10	0.99	16.1	12.1	1656	180.3	10	0.99	33.6
11	11.6	1716	189.9	10	1.03	15.3	11.5	1716	183.4	10	1.02	31.4
12	11.6	1674	191.2	10	1.04	15.2	11.5	1674	182.9	10	1.03	31.4
13	10.4	1686	193.7	10	0.99	13.4	11.5	1447	185.0	10	1.10	31.1
14	11.4	398			0.95		12.6	398			1.05	

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)  
**CAS Number:** 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:20:44

First Dose M/F: NA / NA

Lab: SRI

**FEMALE**

<b>week</b>	<b>1000 MG/L</b>					
	<b>DAILY WATER</b>	<b>WATER hour</b>	<b>BODY WT (g)</b>	<b>NUM WTS</b>	<b>DOSE/ CTRL</b>	<b>DOSE/ DAY</b>
1	13.4	1194	103.0	10	1.03	130.1
2	14.5	1682	116.3	10	1.11	124.7
3	14.9	1662	128.0	10	1.14	116.4
4	14.6	1684	136.3	10	1.10	107.1
5	14.6	1486	142.0	10	1.16	102.8
6	15.5	712	150.3	10	1.07	103.1
7	13.8	1692	158.6	10	1.15	87.0
8	13.5	1674	164.4	10	1.13	82.1
9	13.7	1678	167.5	10	1.15	81.8
10	15.4	1656	175.5	10	1.26	87.7
11	12.3	1716	179.0	10	1.09	68.7
12	12.1	1556	176.9	10	1.08	68.4
13	12.1	1198	178.6	10	1.15	67.7
14	13.7	398			1.14	

**Experiment Number:** 96016-01

**Test Type:** 90-DAY

**Route:** DOSED WATER

**Species/Strain:** Rat/F 344/N

**E08 : Water and Compound Consumption Table**

**Test Compound:** Water disinfection byproducts (Dichloroacetic acid)

**CAS Number:** 79-43-6

**Date Report Requested:** 10/18/2014

**Time Report Requested:** 16:20:44

**First Dose M/F:** NA / NA

**Lab:** SRI

**\*\* END OF REPORT \*\***