

Experiment Number: 96016-01
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY
Test Compound: Water disinfection byproducts (Dichloroacetic acid)
CAS Number: 79-43-6

Date Report Requested: 10/18/2014
Time Report Requested: 16:19:02
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96016
Lock Date:	01/11/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	00-89849	Y N
2	00002	00-89850	Y N
3	00003	00-89851	Y N
4	00004	00-89852	Y N
5	00005	00-89853	Y N
6	00006	00-89854	Y N
7	00007	00-89855	Y N
8	00008	00-89856	Y N
9	00009	00-89857	Y N
10	00010	00-89858	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	00-89899	Y N
52	00052	00-89900	Y N
53	00053	00-89901	Y N
54	00054	00-89902	Y N
55	00055	00-89903	Y N
56	00056	00-89904	Y N
57	00057	00-89905	Y N
58	00058	00-89906	Y N
59	00059	00-89907	Y N
60	00060	00-89908	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 67 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00011	Y N
	00012	Y N
	00013	Y N
	00014	Y N
	00020	Y N
	00016	Y N
	00017	Y N
	00018	Y N
	00019	Y N
	00015	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00021	Y N
	00022	Y N
	00023	Y N
	00024	Y N
	00030	Y N
	00026	Y N
	00027	Y N
	00028	Y N
	00029	Y N
	00025	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00031	Y N
	00032	Y N
	00033	Y N
	00034	Y N
	00040	Y N
	00036	Y N
	00037	Y N
	00038	Y N
	00039	Y N
	00035	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00041	Y N
	00042	Y N
	00043	Y N
	00044	Y N
	00050	Y N
	00046	Y N
	00047	Y N
	00048	Y N
	00049	Y N
	00045	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	00-89909	Y N
62	00062	00-89910	Y N
63	00063	00-89911	Y N
64	00064	00-89912	Y N
65	00065	00-89913	Y N
66	00066	00-89914	Y N
67	00067	00-89915	Y N
68	00068	00-89916	Y N
69	00069	00-89917	Y N
70	00070	00-89918	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	00-89959	Y N
112	00112	00-89960	Y N
113	00113	00-89961	Y N
114	00114	00-89962	Y N
115	00115	00-89963	Y N
116	00116	00-89964	Y N
117	00117	00-89965	Y N
118	00118	00-89966	Y N
119	00119	00-89967	Y N
120	00120	00-89968	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 67 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00071	Y N
	00072	Y N
	00073	Y N
	00074	Y N
	00080	Y N
	00076	Y N
	00077	Y N
	00078	Y N
	00079	Y N
	00075	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00081	Y N
	00082	Y N
	00083	Y N
	00084	Y N
	00090	Y N
	00086	Y N
	00087	Y N
	00088	Y N
	00089	Y N
	00085	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00091	Y N
	00092	Y N
	00093	Y N
	00094	Y N
	00100	Y N
	00096	Y N
	00097	Y N
	00098	Y N
	00099	Y N
	00095	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96016-01

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dichloroacetic acid)

CAS Number: 79-43-6

Date Report Requested: 10/18/2014

Time Report Requested: 16:19:02

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00101	Y N
	00102	Y N
	00103	Y N
	00104	Y N
	00110	Y N
	00106	Y N
	00107	Y N
	00108	Y N
	00109	Y N
	00105	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)