

**Table 6: PFOA C20614B-02 Chronic Perinatal Female Harlan SD Rats: Gestational and Lactational Food Consumption (g/animal/day)**

| Parameter                        | Control            | 300 ppm              |
|----------------------------------|--------------------|----------------------|
| <b>Gestational<sup>a,b</sup></b> |                    |                      |
| GD 6-9                           | 17.03 ± 0.20 [129] | 16.52 ± 0.20 [123]** |
| GD 9-12                          | 17.34 ± 0.13 [129] | 17.58 ± 0.11 [123]   |
| GD 12-15                         | 18.77 ± 0.15 [129] | 18.27 ± 0.18 [123]** |
| GD 15-18                         | 21.02 ± 0.21 [129] | 21.50 ± 0.29 [123]   |
| GD 18-21                         | 21.24 ± 0.22 [124] | 21.15 ± 0.26 [118]   |
| GD 6-21 <sup>c</sup>             | 19.11 ± 0.14 [124] | 18.99 ± 0.12 [118]   |
| <b>Lactational<sup>a,b</sup></b> |                    |                      |
| LD 1-4                           | 41.24 ± 1.47 [115] | 38.18 ± 1.11 [112]** |
| LD 4-7                           | 40.00 ± 0.37 [108] | 38.66 ± 0.30 [107]*  |
| LD 7-10                          | 47.89 ± 0.43 [107] | 45.14 ± 0.34 [107]** |
| LD 10-14                         | 54.50 ± 0.41 [106] | 53.25 ± 0.39 [107]*  |
| LD 14-17                         | 57.58 ± 0.60 [107] | 55.66 ± 0.37 [107]** |
| LD 17-21                         | 67.70 ± 0.81 [107] | 66.83 ± 0.59 [107]   |
| LD 1-14 <sup>d</sup>             | 46.81 ± 0.42 [102] | 44.62 ± 0.34 [107]** |

a: Wilcoxon Rank Sum test used to compare the control to the treated dose group[\* = P<0.05, \*\* = P<0.01]

b: Mean ± Standard error [Number of dams]

c: Dams missing any value for any of the separate time intervals of GD 6 through GD 21 were excluded from the GD 6-21 endpoint

d: Dams missing any value for any of the separate time intervals of LD 1 through LD 14 were excluded from the LD 1-14 endpoint