

**Study Number:** R16011C

**Test Type:** Teratology - Range Finding

**Route:** Oral Gavage

**Species/Strain:** Rabbit/New Zealand White

**C Number:**

**Study Gender:**

**PWG Approval Date**

**R12: Placental Findings**

**Test Compound:** 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

**CAS Number:** 95737-68-1

R16011C

Female

See web page for date of PWG Approval

**Date Report Requested:** 10/22/2019

**Time Report Requested:** 11:24:59

**Lab:** Southern Research

**Study Number:** R16011C  
**Test Type:** Teratology - Range Finding  
**Route:** Oral Gavage  
**Species/Strain:** Rabbit/New Zealand White

**R12: Placental Findings**  
**Test Compound:** 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine  
**CAS Number:** 95737-68-1

**Date Report Requested:** 10/22/2019  
**Time Report Requested:** 11:24:59  
**Lab:** Southern Research

---

**F0 Female**

---

|                                    | Classification            | Treatment Groups (mg/kg/day) |     |
|------------------------------------|---------------------------|------------------------------|-----|
|                                    |                           | 0                            | 300 |
| Total number of placentas examined |                           | 65                           | 42  |
|                                    | <b>Placental Findings</b> |                              |     |
| No. Placentas examined             |                           | 65                           | 42  |
| No. Does examined                  |                           | 8                            | 5   |

NO VISIBLE LESIONS PRESENT

**Study Number:** R16011C

**Test Type:** Teratology - Range Finding

**Route:** Oral Gavage

**Species/Strain:** Rabbit/New Zealand White

**R12: Placental Findings**

**Test Compound:** 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

**CAS Number:** 95737-68-1

**Date Report Requested:** 10/22/2019

**Time Report Requested:** 11:24:59

**Lab:** Southern Research

## LEGEND

---

Upper row denotes number of affected placentas (%) and lower row the number of affected does (%)

Statistical analysis for placental data including litter effects were performed by using a Rao-Scott modification to the Cochran-Armitage test where the Doe ID was the random effect for both trend and pairwise analysis.

# Statistically significant at  $P \leq 0.05$  (litter based analysis)

## Statistically significant at  $P \leq 0.01$  (litter based analysis)

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

**\*\* END OF REPORT \*\***