Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 **AVERAGE SEVERITY GRADES[b]**

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

NBUPY Rats - Final 2

C05052 **NTP Study Number:**

05/25/2018 Lock Date:

ALL Cage Range:

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Include ALL **Treatment Groups:**

Study Gender: Both

TDMSE Version: 3.0.2.3_002

PWG Approval Date: NONE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 **AVERAGE SEVERITY GRADES[b]**

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS MALE | 0 mg/mL male | 0.3 mg/mL male | 1 mg/mL male | 3 mg/mL male |
|-----------------------------------|--------------|----------------|--------------|--------------|
| Disposition Summary | | | | |
| Animals Initially In Study | 10 | 10 | 10 | 10 |
| Early Deaths | | | | |
| Natural Death | | | | 1 |
| Survivors | | | | _ |
| Terminal Sacrifice | 10 | 10 | 10 | 9 |
| Animals Examined Microscopically | 10 | | 1 | 10 |
| ALIMENTARY SYSTEM | | | | |
| Esophagus | (10) | (0) | (0) | (10) |
| Intestine Large, Cecum | (10) | (0) | (0) | (10) |
| Intestine Large, Colon | (10) | (0) | (0) | (10) |
| Intestine Large, Rectum | (10) | (0) | (0) | (10) |
| Intestine Small, Duodenum | (10) | (0) | (0) | (10) |
| Intestine Small, Ileum | (10) | (0) | (0) | (10) |
| Intestine Small, Jejunum | (10) | (0) | (0) | (10) |
| Liver | (10) | (0) | (0) | (10) |
| Basophilic Focus | | | | 1 |
| Eosinophilic Focus | | | | 1 |
| Extramedullary Hematopoiesis | 1 [1.0] | | | 1 [1.0] |
| Hepatodiaphragmatic Nodule | 1 | | | |
| Infiltration Cellular, Mixed Cell | 1 [1.0] | | | |
| Inflammation, Chronic | 3 [1.0] | | | |
| Pancreas | (10) | (0) | (0) | (10) |
| Acinus, Atrophy | | | | 1 [1.0] |
| Salivary Glands | (10) | (0) | (0) | (10) |
| Stomach, Forestomach | (10) | (0) | (0) | (10) |
| Stomach, Glandular | (10) | (0) | (0) | (10) |
| Mineral | 2 [1.0] | | | 1 [1.0] |
| Muscularis, Degeneration | | | | 1 [1.0] |

CARDIOVASCULAR SYSTEM

Experiment Number: 50052 - 01

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 **AVERAGE SEVERITY GRADES[b]**

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS MALE | 0 mg/mL male | 0.3 mg/mL male | 1 mg/mL male | 3 mg/mL male | |
|---------------------------------|--------------|----------------|--------------|--------------|--|
| Blood Vessel | (10) | (0) | (0) | (10) | |
| Heart | (10) | (0) | (0) | (10) | |
| Cardiomyopathy | 1 [1.0] | | | 1 [1.0] | |
| Inflammation, Suppurative | | | | 1 [2.0] | |
| Endothelium, Valve, Hyperplasia | 1 [2.0] | | | | |
| ENDOCRINE SYSTEM | | | | | |
| Adrenal Cortex | (10) | (0) | (0) | (10) | |
| Hypertrophy, Focal | , | () | () | 3 [1.3] | |
| Adrenal Medulla | (10) | (0) | (0) | (10) | |
| Islets, Pancreatic | (10) | (0) | (0) | (10) | |
| Parathyroid Gland | (5) | (0) | (0) | (6) | |
| Pituitary Gland | (10) | (0) | (0) | (10) | |
| Thyroid Gland | (10) | (0) | (0) | (10) | |
| | | | | | |

GENERAL BODY SYSTEM

None

GENITAL SYSTEM

| Epididymis | (10) | (0) | (0) | (10) |
|---|---------|-----|-----|---------|
| Duct, Exfoliated Germ Cell | | | | 1 [2.0] |
| Preputial Gland | (10) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 1 [1.0] | | | 1 [2.0] |
| Inflammation, Suppurative | | | | 1 [1.0] |
| Inflammation, Chronic | 1 [1.0] | | | 1 [1.0] |
| Inflammation, Chronic Active | 1 [1.0] | | | |
| Prostate | (10) | (0) | (0) | (10) |
| Inflammation, Suppurative | | | | 1 [2.0] |
| Inflammation, Chronic | 1 [1.0] | | | |
| Seminal Vesicle | (10) | (0) | (0) | (10) |
| Testis | (10) | (0) | (0) | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 AVERAGE SEVERITY GRADES[b]

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS MALE | 0 mg/mL male | 0.3 mg/mL male | 1 mg/mL male | 3 mg/mL male | |
|---|--------------|----------------|----------------|----------------|--|
| Germinal Epithelium, Degeneration | | | | 2 [1.0] | |
| HEMATOPOIETIC SYSTEM | | | | | |
| Bone Marrow | (10) | (0) | (0) | (10) | |
| Gut Associated Lymphoid Tissue Hyperplasia | (0) | (0) | (1) 1 [1.0] | (0) | |
| Lymph Node, Mandibular | (10) | (0) | (0) | (10) | |
| Necrosis, Lymphoid | | | | 1 [1.0] | |
| Lymph Node, Mesenteric | (10) | (0) | (0) | (10) | |
| Spleen | (10) | (0) | (0) | (10) | |
| Pigment | 1 [1.0] | 453 | 4-5 | | |
| Thymus | (10) | (0) | (0) | (10) | |
| INTEGUMENTARY SYSTEM | | | | | |
| Mammary Gland Hyperplasia | (10) | (0) | (0) | (8) 1 [1.0] | |
| Skin | (10) | (0) | (0) | (10) | |
| MUSCULOSKELETAL SYSTEM | | | | | |
| Bone | (10) | (0) | (0) | (10) | |
| NERVOUS SYSTEM | | | | | |
| Brain | (10) | (0) | (0) | (10) | |
| RESPIRATORY SYSTEM | | | | | |
| Lung | (10) | (0) | (0) | (10) | |
| Infiltration Cellular, Histiocyte | (10) | (0) | (0) | 1 [1.0] | |
| Metaplasia, Osseous | | | | 1 [1.0] | |
| | | | | . [] | |

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 **AVERAGE SEVERITY GRADES[b]**

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS MALE | 0 mg/mL male | 0.3 mg/mL male | 1 mg/mL male | 3 mg/mL male | |
|--|--------------|----------------|--------------|--------------|--|
| Nose | (10) | (0) | (0) | (10) | |
| Glands, Respiratory Epithelium, Dilation | | | | 1 [1.0] | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | 6 [1.0] | | | 4 [1.0] | |
| Trachea | (10) | (0) | (0) | (10) | |
| SPECIAL SENSES SYSTEM | | | | | |
| Eye | (10) | (0) | (0) | (10) | |
| Harderian Gland | (10) | (0) | (0) | (10) | |
| Infiltration Cellular, Mononuclear Cell | 2 [1.5] | | | 1 [1.0] | |
| Inflammation, Chronic | 1 [1.0] | | | | |
| URINARY SYSTEM | | | | | |
| Kidney | (10) | (0) | (0) | (10) | |
| Infarct | , , | , , | . , | 1 [2.0] | |
| Inflammation, Suppurative | | | | 1 [1.0] | |
| Nephropathy, Chronic Progressive | 10 [1.0] | | | 10 [1.1] | |
| Papilla, Mineral | 1 [1.0] | | | | |
| Urethra | (0) | (0) | (0) | (1) | |
| Inflammation, Suppurative | | | | 1 [4.0] | |
| Urinary Bladder | (10) | (0) | (0) | (10) | |
| Inflammation, Suppurative | | | | 1 [1.0] | |

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Experiment Number: 50052 - 01 P18: INCIDENCE RATES OF NON-NEOPLAST

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 AVERAGE SEVERITY GRADES[b]

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS FEMALE | 0 mg/mL female | 0.3 mg/mL female | 1 mg/mL female | 3 mg/mL female | |
|--|----------------|------------------|----------------|----------------|--|
| Disposition Summary | | | | | |
| Animals Initially In Study Early Deaths | 10 | 10 | 10 | 10 | |
| Survivors | | | | | |
| Terminal Sacrifice | 10 | 10 | 10 | 10 | |
| Animals Examined Microscopically | 10 | 9 | 1 | 10 | |
| ALIMENTARY SYSTEM | | | | | |
| Esophagus | (10) | (0) | (0) | (10) | |
| Infiltration Cellular, Mononuclear Cell | 1 [1.0] | | | | |
| Intestine Large, Cecum | (10) | (0) | (0) | (10) | |
| Intestine Large, Colon | (10) | (0) | (0) | (10) | |
| Intestine Large, Rectum | (10) | (0) | (0) | (10) | |
| Intestine Small, Duodenum | (10) | (0) | (0) | (10) | |
| Intestine Small, Ileum | (10) | (0) | (0) | (10) | |
| Intestine Small, Jejunum | (10) | (0) | (0) | (10) | |
| Liver | (10) | (0) | (0) | (10) | |
| Extramedullary Hematopoiesis | 3 [1.0] | , , | | 2 [1.0] | |
| Infiltration Cellular, Mixed Cell | 1 [1.0] | | | | |
| Inflammation, Chronic | | | | 2 [1.0] | |
| Pancreas | (10) | (0) | (0) | (10) | |
| Salivary Glands | (10) | (0) | (0) | (10) | |
| Stomach, Forestomach | (10) | (0) | (0) | (10) | |
| Stomach, Glandular | (10) | (0) | (0) | (10) | |
| Mineral | 1 [1.0] | | | • • | |
| CARDIOVASCULAR SYSTEM | | | | | |
| Blood Vessel | (10) | (0) | (0) | (10) | |
| Heart | (10) | (0) | (0) | (10) | |

ENDOCRINE SYSTEM

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 AVERAGE SEVERITY GRADES[b]

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS FEMALE | 0 mg/mL female | 0.3 mg/mL female | 1 mg/mL female | 3 mg/mL female |
|---|----------------|------------------|----------------|----------------|
| Adrenal Cortex | (10) | (0) | (0) | (10) |
| Hypertrophy, Focal | 2 [1.0] | · , | , | , |
| Adrenal Medulla | (10) | (0) | (0) | (10) |
| Islets, Pancreatic | (10) | (0) | (0) | (10) |
| Parathyroid Gland | (10) | (0) | (0) | (8) |
| Pituitary Gland | (10) | (0) | (0) | (10) |
| Thyroid Gland | (10) | (0) | (0) | (10) |
| GENERAL BODY SYSTEM | | | | |
| None | | | | |
| GENITAL SYSTEM | | | | |
| Clitoral Gland | (10) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 2 [2.0] | (-) | (-) | 3 [1.0] |
| Ovary | (10) | (0) | (0) | (10) |
| Duct Remnant | 1 | (-) | (-) | (- / |
| Uterus | (10) | (0) | (1) | (10) |
| Dilation | , | () | 1 [1.0] | 1 [1.0] |
| Inflammation, Acute | 1 [1.0] | | | |
| HEMATOPOIETIC SYSTEM | | | | |
| Bone Marrow | (10) | (0) | (0) | (10) |
| Lymph Node, Mandibular | (10) | (0) | (0) | (10) |
| Lymph Node, Mesenteric | (10) | (0) | (0) | (10) |
| Spleen | (10) | (1) | (0) | (10) |
| Atrophy | (/ | 1 [4.0] | (-) | \ -/ |
| Fibrosis | | 1 [3.0] | | |
| Pigment | | 1 [3.0] | | |
| Thymus | (10) | (0) | (0) | (10) |
| · | ` ' | ` ' | | , , |

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Experiment Number: 50052 - 01

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 **AVERAGE SEVERITY GRADES[b]**

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12 First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS FEMALE | 0 mg/mL female | 0.3 mg/mL female | 1 mg/mL female | 3 mg/mL female | |
|--|----------------|------------------|----------------|----------------|----------|
| INTEGUMENTARY SYSTEM | | | | | |
| Mammary Gland | (10) | (0) | (0) | (10) | |
| Skin | (10) | (0) | (0) | (10) | |
| MUSCULOSKELETAL SYSTEM | | | | | |
| Bone | (10) | (0) | (0) | (10) | |
| NERVOUS SYSTEM | | | | | <u> </u> |
| Brain | (10) | (0) | (0) | (10) | |
| RESPIRATORY SYSTEM | | | | | |
| Lung | (10) | (0) | (0) | (10) | |
| Infiltration Cellular, Histiocyte | , | () | , , | 1 [1.0] | |
| Inflammation, Chronic Active | 3 [1.0] | | | | |
| Nose | (10) | (9) | (0) | (10) | |
| Epithelium, Inflammation, Chronic Active | 5 [1.8] | 9 [1.1] | | | |
| Glands, Respiratory Epithelium, Dilation | | | | 1 [1.0] | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | 4 [1.0] | | | 8 [1.0] | |
| Trachea | (10) | (0) | (0) | (10) | |
| SPECIAL SENSES SYSTEM | | | | | |
| Eye | (10) | (0) | (0) | (10) | |
| Harderian Gland | (10) | (0) | (0) | (10) | |
| Infiltration Cellular, Mononuclear Cell | , | ` ' | , , | 1 [1.0] | |

URINARY SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 10/05/2020 AVERAGE SEVERITY GRADES[b]

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Time Report Requested: 13:00:12

First Dose M/F: 09/19/13 / 09/20/13

Lab: BAT

| Harlan Sprague Dawley RATS FEMALE | 0 mg/mL female | 0.3 mg/mL female | 1 mg/mL female | 3 mg/mL female |
|-----------------------------------|----------------|------------------|----------------|----------------|
| Kidney | (10) | (0) | (0) | (10) |
| Nephropathy, Chronic Progressive | 4 [1.0] | | | 6 [1.0] |
| Urinary Bladder | (10) | (0) | (0) | (10) |

*** END OF REPORT ***