

Experiment Number: 50052 - 02
Test Type: 14-WEEK
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P08: STATISTICAL ANALYSIS OF PRIMARY TUMORS
Ionic Liquid: N-Butylpyridinium Chloride
CAS Number: 1124-64-7

Date Report Requested: 01/08/2020
Time Report Requested: 11:03:27
First Dose M/F: 09/18/13 / 09/17/13
Lab: BAT

Final_1 - NBUPY Mice

NTP Study Number: C05052
Lock Date: 02/26/2018
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.3_002
PWG Approval Date: NONE

Experiment Number: 50052 - 02

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P08: STATISTICAL ANALYSIS OF PRIMARY TUMORS

Ionic Liquid: N-Butylpyridinium Chloride

CAS Number: 1124-64-7

Date Report Requested: 01/08/2020

Time Report Requested: 11:03:27

First Dose M/F: 09/18/13 / 09/17/13

Lab: BAT

HISTORICAL CONTROL STUDIES

From November 2019 report

SAME ROUTE

ALL ROUTES

20601-04 -- Antimony trioxide (INHALATION AIR)

20725-04 -- 2,3-Butanedione (INHALATION AIR)

20105-78 -- Cell Phone Radiation: GSM (Whole Body Exposure AIR)

20523-04 -- Metal Working Fluids: TRIM® VX (INHALATION AIR)

10472-04 -- p-Chloro-a,a,a-trifluorotoluene (INHALATION AIR)

*** NO DATA FOR CRITERIA ENTERED ***

*** END OF REPORT ***