

Experiment Number: 05049 - 04
Test Type: 14-DAY
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E07: MEAN WATER CONSUMPTION BY TREATMENT GROUP
Ionic liquid Toxicity
CAS Number: IONICLIQUIDS

Date Report Requested: 05/05/2020
Time Report Requested: 12:17:52
First Dose M/F: 03/12/09 / 03/13/09
Lab: MBA

NTP Study Number: C05049

Lock Date: 12/03/2009

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include 001 Control Male Include 009 3.0 mg/ml Bmpy Include 010 6.0 mg/ml Bmpy
Include 011 10.0 mg/ml Bmpy Include 015 Control Female Include 023 3.0 mg/ml Bmpy
Include 024 6.0 mg/ml Bmpy Include 025 10.0 mg/ml Bmpy

Study Gender: Both

TDMSE Version: 3.0.2.3_002

PWG Approval Date: NONE

Experiment Number: 05049 - 04

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E07: MEAN WATER CONSUMPTION BY TREATMENT GROUP

Ionic liquid Toxicity

CAS Number: IONICLIQUIDS

Date Report Requested: 05/05/2020

Time Report Requested: 12:17:52

First Dose M/F: 03/12/09 / 03/13/09

Lab: MBA

MALE

WEEK	Control Male		3.0 mg/ml Bmpy		6.0 mg/ml Bmpy		10.0 mg/ml Bmpy	
	MEAN	N/M	MEAN	N/M	MEAN	N/M	MEAN	N/M
1	3.3	10/10	3.4	5/5	3.5	5/5	2.3	5/5
2	4.4	10/19	3.7	5/10	3.9	5/10	2.7	5/10
3	4.9	7/7	4.5	5/5	4.5	3/3	3.6	4/4

END OF MALE DATA

MEAN = AVERAGE CONSUMPTION IN GRAMS/ANIMAL/DAY

N = NUMBER OF ANIMALS

M = NUMBER OF CONSUMPTION MEASUREMENTS

Experiment Number: 05049 - 04

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E07: MEAN WATER CONSUMPTION BY TREATMENT GROUP

Ionic liquid Toxicity

CAS Number: IONICLIQUIDS

Date Report Requested: 05/05/2020

Time Report Requested: 12:17:52

First Dose M/F: 03/12/09 / 03/13/09

Lab: MBA

FEMALE

WEEK	Control Female		3.0 mg/ml Bmpy		6.0 mg/ml Bmpy		10.0 mg/ml Bmpy	
	MEAN	N/M	MEAN	N/M	MEAN	N/M	MEAN	N/M
1	2.2	10/2	2.1	5/1	1.9	5/1	1.2	5/1
2	2.7	10/3	2.0	5/2	2.0	5/2	1.4	5/1
3	2.8	10/2	2.1	5/1	1.7	5/1	0.7	5/1

END OF REPORT

MEAN = AVERAGE CONSUMPTION IN GRAMS/ANIMAL/DAY

N = NUMBER OF ANIMALS

M = NUMBER OF CONSUMPTION MEASUREMENTS