

Study Number: HC2015TERAT1
Test Type: Teratology - Historic Control
Route: Oral Gavage
Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption
Test Compound: 0.5% Aqueous Methylcellulose
CAS Number: 9004-67-5

Date Report Requested: 12/10/2020
Time Report Requested: 12:24:44
Lab: Southern Research

Study Number: HC2015TERAT1
Study Gender: Female
PWG Approval Date: See web page for date of PWG Approval
Version: v1.1.3

Study Number: HC2015TERAT1
Test Type: Teratology - Historic Control
Route: Oral Gavage
Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption
Test Compound: 0.5% Aqueous Methylcellulose
CAS Number: 9004-67-5

Date Report Requested: 12/10/2020
Time Report Requested: 12:24:44
Lab: Southern Research

F0 Females				
Phase	Days	Treatment Groups (mg/kg/day)		
		0		
		Wt (g/animal/day)	Wt (g/kg/animal/day)	N
Gestation	3 - 6	18.4 ± 0.2	77.7 ± 0.9	23
	6 - 9	18.7 ± 0.4	75.7 ± 1.5	23
	9 - 12	19.3 ± 0.3	74.0 ± 0.8	23
	12 - 15	20.9 ± 0.2	75.4 ± 0.8	23
	15 - 18	22.2 ± 0.3	73.4 ± 0.8	23
	18 - 21	23.5 ± 0.4	68.4 ± 0.6	23
	6 - 21	20.9 ± 0.2	72.8 ± 0.4	23

Study Number: HC2015TERAT1
Test Type: Teratology - Historic Control
Route: Oral Gavage
Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption
Test Compound: 0.5% Aqueous Methylcellulose
CAS Number: 9004-67-5

Date Report Requested: 12/10/2020
Time Report Requested: 12:24:44
Lab: Southern Research

LEGEND

Reported as the mean \pm SEM. N is the number of animals, number of cages for group housed adult animals or number of litters.

Feed consumption values were excluded when excessive spillage was recorded.

Consumption is not reported for the non-pregnant animals during gestation and lactation phases

Consumption is not reported for animals during mating

**** END OF REPORT ****