

Experiment Number: 20321 - 01
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
Time Report Requested: 11:06:13
First Dose M/F: 01/09/06 / 01/10/06
Lab: BAT

F1_Rev.1_R2

NTP Study Number: C20321
Lock Date: 01/05/2007
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.2_002
PWG Approval Date: NONE

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS MALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250 mg/kg | 500 mg/kg | 1000 mg/kg |
|----------------------------------|---------|------------|-----------|-----------|-----------|------------|
| Disposition Summary | | | | | | |
| Animals Initially In Study | 10 | 10 | 10 | 10 | 10 | 10 |
| Early Deaths | | | | | | |
| Dosing Accident | | 1 | | | | |
| Natural Death | | 1 | | | | |
| Survivors | | | | | | |
| Terminal Sacrifice | 10 | 8 | 10 | 10 | 10 | 10 |
| Animals Examined Microscopically | 10 | 10 | 10 | 10 | 10 | 10 |

ALIMENTARY SYSTEM

| | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|
| Esophagus | (10) | (2) | (0) | (0) | (0) | (10) |
| Intestine Large, Cecum | (10) | (1) | (0) | (0) | (0) | (10) |
| Intestine Large, Colon | (10) | (2) | (0) | (0) | (0) | (10) |
| Serosa, Parasite Metazoan | | | | | | 1 (10%) |
| Intestine Large, Rectum | (10) | (2) | (0) | (0) | (0) | (10) |
| Parasite Metazoan | | | | | | 2 (20%) |
| Intestine Small, Duodenum | (10) | (1) | (0) | (0) | (0) | (10) |
| Intestine Small, Ileum | (10) | (1) | (0) | (0) | (0) | (10) |
| Intestine Small, Jejunum | (10) | (1) | (0) | (0) | (0) | (10) |
| Liver | (10) | (10) | (10) | (10) | (10) | (10) |
| Inflammation, Chronic | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) |
| Vacuolization Cytoplasmic | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) |
| Mesentery | (0) | (0) | (0) | (0) | (0) | (1) |
| Fat, Necrosis | | | | | | 1 (100%) |
| Oral Mucosa | (0) | (0) | (0) | (0) | (1) | (0) |
| Cyst, Focal | | | | | 1 (100%) | |
| Pancreas | (10) | (2) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 1 (10%) | | | | | |
| Acinus, Atrophy | 2 (20%) | | | | | 1 (10%) |
| Arteriole, Inflammation | 1 (10%) | | | | | |
| Salivary Glands | (10) | (2) | (0) | (0) | (0) | (10) |
| Stomach, Forestomach | (10) | (2) | (0) | (0) | (0) | (10) |
| Stomach, Glandular | (10) | (2) | (0) | (0) | (0) | (10) |
| Muscularis, Mineralization | | | | | | 1 (10%) |

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS MALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250 mg/kg | 500 mg/kg | 1000 mg/kg |
|-----------------------------------|-----------|------------|-----------|-----------|-----------|------------|
| CARDIOVASCULAR SYSTEM | | | | | | |
| Blood Vessel | (10) | (2) | (0) | (0) | (0) | (10) |
| Heart | (10) | (2) | (0) | (0) | (0) | (10) |
| Cardiomyopathy | 10 (100%) | 2 (100%) | | | | 10 (100%) |
| Infiltration Cellular, Mixed Cell | 1 (10%) | | | | | |
| Pigmentation | 1 (10%) | | | | | |
| ENDOCRINE SYSTEM | | | | | | |
| Adrenal Cortex | (10) | (2) | (0) | (0) | (0) | (10) |
| Adrenal Medulla | (10) | (2) | (0) | (0) | (0) | (10) |
| Islets, Pancreatic | (10) | (2) | (0) | (0) | (0) | (10) |
| Parathyroid Gland | (7) | (2) | (0) | (0) | (0) | (10) |
| Pituitary Gland | (10) | (2) | (0) | (0) | (0) | (10) |
| Thyroid Gland | (10) | (2) | (0) | (0) | (0) | (10) |
| GENERAL BODY SYSTEM | | | | | | |
| None | | | | | | |
| GENITAL SYSTEM | | | | | | |
| Epididymis | (10) | (2) | (0) | (0) | (0) | (10) |
| Inflammation, Chronic Active | 5 (50%) | | | | | |
| Preputial Gland | (10) | (2) | (0) | (0) | (0) | (10) |
| Inflammation | 3 (30%) | | | | | 3 (30%) |
| Prostate | (10) | (2) | (0) | (0) | (0) | (10) |
| Inflammation, Chronic Active | 1 (10%) | | | | | |
| Seminal Vesicle | (10) | (2) | (0) | (0) | (0) | (10) |
| Testes | (10) | (2) | (0) | (0) | (0) | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS MALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250 mg/kg | 500 mg/kg | 1000 mg/kg |
|-----------------------------------|-----------|------------|-----------|-----------|-----------|------------|
| HEMATOPOIETIC SYSTEM | | | | | | |
| Bone Marrow | (10) | (2) | (0) | (0) | (0) | (10) |
| Lymph Node, Mandibular | (10) | (2) | (0) | (0) | (0) | (10) |
| Lymph Node, Mesenteric | (10) | (9) | (10) | (10) | (10) | (10) |
| Infiltration Cellular, Histiocyte | 10 (100%) | 9 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) |
| Spleen | (10) | (2) | (0) | (0) | (0) | (10) |
| Thymus | (10) | (2) | (0) | (0) | (0) | (10) |
| INTEGUMENTARY SYSTEM | | | | | | |
| Mammary Gland | (10) | (2) | (0) | (0) | (0) | (10) |
| Skin | (10) | (2) | (0) | (0) | (0) | (10) |
| MUSCULOSKELETAL SYSTEM | | | | | | |
| Bone | (10) | (2) | (0) | (0) | (0) | (10) |
| NERVOUS SYSTEM | | | | | | |
| Brain | (10) | (2) | (0) | (0) | (0) | (10) |
| RESPIRATORY SYSTEM | | | | | | |
| Lung | (10) | (10) | (10) | (10) | (10) | (10) |
| Infiltration Cellular, Histiocyte | 1 (10%) | 1 (10%) | | | 1 (10%) | 1 (10%) |
| Inflammation, Granulomatous | | 4 (40%) | 8 (80%) | 8 (80%) | 6 (60%) | 2 (20%) |
| Inflammation, Acute | | 2 (20%) | | | | |
| Inflammation, Chronic Active | 7 (70%) | 1 (10%) | 9 (90%) | 6 (60%) | 8 (80%) | 7 (70%) |
| Metaplasia, Osseous | 1 (10%) | 2 (20%) | | | | |
| Nose | (10) | (2) | (0) | (0) | (0) | (10) |
| Inflammation, Chronic Active | | | | | | 1 (10%) |
| Trachea | (10) | (2) | (0) | (0) | (0) | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS MALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250 mg/kg | 500 mg/kg | 1000 mg/kg |
|---|-----------|------------|-----------|-----------|-----------|------------|
| Infiltration Cellular, Mononuclear Cell | 1 (10%) | | | | | 2 (20%) |
| SPECIAL SENSES SYSTEM | | | | | | |
| Eye | (10) | (3) | (0) | (0) | (0) | (10) |
| Harderian Gland | (10) | (2) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 2 (20%) | | | | | |
| Inflammation, Chronic Active | | | | | | 1 (10%) |
| Bilateral, Inflammation, Chronic Active | | | | | | 1 (10%) |
| URINARY SYSTEM | | | | | | |
| Kidney | (10) | (2) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 1 (10%) | | | | | 2 (20%) |
| Mineralization | 8 (80%) | 1 (50%) | | | | 6 (60%) |
| Nephropathy | 10 (100%) | 1 (50%) | | | | 10 (100%) |
| Urinary Bladder | (10) | (2) | (0) | (0) | (0) | (10) |
| Inflammation, Chronic | | | | | | 1 (10%) |
| Muscularis, Mineralization | | | | | | 1 (10%) |

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS FEMALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250mg/kg | 500 mg/kg | 1000 mg/kg |
|----------------------------------|---------|------------|-----------|----------|-----------|------------|
| Disposition Summary | | | | | | |
| Animals Initially In Study | 10 | 10 | 10 | 10 | 10 | 10 |
| Early Deaths | | | | | | |
| Natural Death | 1 | | | | | |
| Survivors | | | | | | |
| Terminal Sacrifice | 9 | 10 | 10 | 10 | 10 | 10 |
| Animals Examined Microscopically | 10 | 10 | 10 | 10 | 10 | 10 |

ALIMENTARY SYSTEM

| | | | | | | |
|---------------------------|---------|----------|----------|----------|-----------|-----------|
| Esophagus | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Large, Cecum | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Large, Colon | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Large, Rectum | (10) | (0) | (0) | (0) | (0) | (10) |
| Parasite Metazoan | | | | | | 1 (10%) |
| Intestine Small, Duodenum | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Small, Ileum | (10) | (0) | (0) | (0) | (0) | (10) |
| Intestine Small, Jejunum | (10) | (0) | (0) | (0) | (0) | (10) |
| Liver | (10) | (8) | (8) | (9) | (10) | (10) |
| Inflammation, Chronic | 8 (80%) | 8 (100%) | 8 (100%) | 9 (100%) | 10 (100%) | 10 (100%) |
| Pancreas | (10) | (0) | (0) | (0) | (0) | (10) |
| Salivary Glands | (10) | (0) | (0) | (0) | (0) | (10) |
| Stomach, Forestomach | (10) | (0) | (0) | (0) | (0) | (10) |
| Stomach, Glandular | (10) | (0) | (0) | (0) | (0) | (10) |

CARDIOVASCULAR SYSTEM

| | | | | | | |
|------------------------------|---------|-----|-----|-----|-----|---------|
| Blood Vessel | (10) | (0) | (0) | (0) | (0) | (10) |
| Heart | (10) | (0) | (0) | (0) | (0) | (10) |
| Cardiomyopathy | 9 (90%) | | | | | 9 (90%) |
| Inflammation, Chronic Active | 1 (10%) | | | | | |

ENDOCRINE SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS FEMALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250mg/kg | 500 mg/kg | 1000 mg/kg |
|---------------------------------|---------|------------|-----------|----------|-----------|------------|
| Adrenal Cortex | (10) | (0) | (0) | (0) | (0) | (10) |
| Adrenal Medulla | (10) | (0) | (0) | (0) | (0) | (10) |
| Islets, Pancreatic | (10) | (0) | (0) | (0) | (0) | (10) |
| Parathyroid Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Pituitary Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Cyst | | | | | | 1 (10%) |
| Thyroid Gland | (10) | (0) | (0) | (0) | (0) | (10) |

GENERAL BODY SYSTEM

None

GENITAL SYSTEM

| | | | | | | |
|------------------------------|---------|-----|----------|-----|-----|------|
| Clitoral Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Inflammation, Chronic Active | 3 (30%) | | | | | |
| Ovary | (10) | (0) | (1) | (0) | (0) | (10) |
| Left, Cyst | | | 1 (100%) | | | |
| Uterus | (10) | (0) | (0) | (0) | (0) | (10) |

HEMATOPOIETIC SYSTEM

| | | | | | | |
|---------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Bone Marrow | (10) | (0) | (0) | (0) | (0) | (10) |
| Lymph Node, Mandibular | (10) | (0) | (0) | (0) | (0) | (10) |
| Lymph Node, Mesenteric | (10) | (10) | (10) | (10) | (10) | (10) |
| Infiltration Cellular, Histiocyte | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) | 10 (100%) |
| Spleen | (10) | (0) | (0) | (0) | (0) | (10) |
| Lymphoid Follicle, Depletion Cellular | 1 (10%) | | | | | |
| Thymus | (10) | (0) | (0) | (0) | (0) | (10) |

INTEGUMENTARY SYSTEM

| | | | | | | |
|---------------|------|-----|-----|-----|-----|------|
| Mammary Gland | (10) | (0) | (0) | (0) | (0) | (10) |
|---------------|------|-----|-----|-----|-----|------|

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
 CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
 Time Report Requested: 11:06:13
 First Dose M/F: 01/09/06 / 01/10/06
 Lab: BAT

| Fischer 344-Taconic RATS FEMALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250mg/kg | 500 mg/kg | 1000 mg/kg |
|--|---------|------------|-----------|----------|-----------|------------|
| Skin | (10) | (0) | (0) | (0) | (0) | (10) |
| MUSCULOSKELETAL SYSTEM | | | | | | |
| Bone | (10) | (0) | (0) | (0) | (0) | (10) |
| NERVOUS SYSTEM | | | | | | |
| Brain | (10) | (0) | (0) | (0) | (0) | (10) |
| RESPIRATORY SYSTEM | | | | | | |
| Lung | (10) | (10) | (10) | (10) | (10) | (10) |
| Infiltration Cellular, Histiocyte | 2 (20%) | 1 (10%) | 2 (20%) | 2 (20%) | | |
| Inflammation, Granulomatous | | 3 (30%) | 6 (60%) | 6 (60%) | 6 (60%) | 5 (50%) |
| Inflammation, Acute | 1 (10%) | | | | | |
| Inflammation, Chronic Active | 1 (10%) | 4 (40%) | 3 (30%) | 6 (60%) | 6 (60%) | 8 (80%) |
| Metaplasia, Osseous | | | | 1 (10%) | | |
| Bronchiole, Metaplasia, Squamous | | | | | | 1 (10%) |
| Nose | (10) | (0) | (0) | (0) | (0) | (10) |
| Squamous Epithelium, Hyperplasia | | | | | | 1 (10%) |
| Trachea | (10) | (0) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 5 (50%) | | | | | 4 (40%) |
| SPECIAL SENSES SYSTEM | | | | | | |
| Eye | (10) | (0) | (0) | (0) | (0) | (10) |
| Harderian Gland | (10) | (0) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | 1 (10%) | | | | | |
| Inflammation, Chronic Active | 2 (20%) | | | | | 3 (30%) |
| Bilateral, Infiltration Cellular, Mononuclear Cell | | | | | | 1 (10%) |
| Bilateral, Inflammation, Chronic Active | 1 (10%) | | | | | |

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20321 - 01
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: RATS/F344/N Tac

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
Tetrabromobisphenol A-bis(2,3-dibromopropyl ether)
CAS Number: 21850-44-2

Date Report Requested: 10/15/2014
Time Report Requested: 11:06:13
First Dose M/F: 01/09/06 / 01/10/06
Lab: BAT

| Fischer 344-Taconic RATS FEMALE | 0 mg/kg | 62.5 mg/kg | 125 mg/kg | 250mg/kg | 500 mg/kg | 1000 mg/kg |
|---|---------|------------|-----------|----------|-----------|------------|
| URINARY SYSTEM | | | | | | |
| Kidney | (10) | (0) | (0) | (0) | (0) | (10) |
| Infiltration Cellular, Mononuclear Cell | | | | | | 1 (10%) |
| Mineralization | 7 (70%) | | | | | 5 (50%) |
| Nephropathy | 2 (20%) | | | | | 1 (10%) |
| Urinary Bladder | (10) | (0) | (0) | (0) | (0) | (10) |

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion