

Experiment Number: R12103B

Test Type: Teratology

Route: Oral Gavage

Species/Strain: Rat/Harlan Sprague Dawley

C Number:

R12103B

Cage Range:

All

Date Range:

All

Reasons For Removal:

All

Removal Date Range:

All

Treatment Groups:

All

Study Gender:

Female

R09: Uterine Content Summary

Test Compound: Vinpocetine

CAS Number: 42971-09-5

Date Report Requested: 12/16/2016

Time Report Requested: 11:58:41

Lab: Southern Research

Experiment Number: R12103B

Test Type: Teratology

Route: Oral Gavage

Species/Strain: Rat/Harlan Sprague Dawley

R09: Uterine Content Summary

Test Compound: Vinpocetine

CAS Number: 42971-09-5

Date Report Requested: 12/16/2016

Time Report Requested: 11:58:41

Lab: Southern Research

	Female			
	Treatment Groups (mg/kg/day)			
	0	5	20	60
Pregnancy Summary (a)				
Paired Females	25	25	25	25
Mated Females	25	25	25	25
Pregnant Females	21	20	22	20
Pregnant Females Examined on GD 21	21	20	22	20
Pre-implantation Loss (b)				
Corpora lutea per Female	15.86 ± 0.58 (21)	16.00 ± 0.70 (20)	15.41 ± 0.42 (22)	16.70 ± 0.44 (20)
Implantations per Female	14.38 ± 0.49 (21)	12.55 ± 0.92 (20)	12.82 ± 0.85 (22)	12.95 ± 1.04 (20)
Percent Pre-Implantation Loss	8.18 ± 2.78 (21)	19.51 ± 5.68 (20)	17.86 ± 4.91 (22)	22.10 ± 6.41 (20)
Intra-uterine Deaths (c)				
Number of Early Resorptions	7	12	19	208
Early Resorptions per Litter	0.33 ± 0.14 (21) **	0.60 ± 0.21 (20)	0.86 ± 0.27 (22)	10.40 ± 1.21 (20) **
Number of Late Resorptions	1	0	2	0
Late Resorptions per Litter	0.05 ± 0.05 (21)	0.00 ± 0.00 (20)	0.09 ± 0.06 (22)	0.00 ± 0.00 (20)
Total Resorptions per Litter	0.38 ± 0.15 (21) **	0.60 ± 0.21 (20)	0.95 ± 0.27 (22)	10.40 ± 1.21 (20) **
Whole Litter Resorptions	0 **	1	1	12 **
Number of Dead Fetuses	1	0	0	0
Dead Fetuses per Litter	0.05 ± 0.05 (21)	0.00 ± 0.00 (20)	0.00 ± 0.00 (22)	0.00 ± 0.00 (20)
Percent Post-Implantation Loss	3.29 ± 1.33 (21) **	10.67 ± 5.29 (20)	11.13 ± 4.65 (22)	83.13 ± 6.47 (20) **
Live Fetuses (b)				
Number of Live Fetuses	293	239	261	51
Live Fetuses per Litter	13.95 ± 0.55 (21) **	11.95 ± 1.06 (20)	11.86 ± 0.88 (22)	2.55 ± 1.00 (20) **
Live Male Fetuses per Litter	6.38 ± 0.42 (21) **	4.95 ± 0.62 (20)	5.50 ± 0.59 (22)	1.80 ± 0.69 (20) **
Live Female Fetuses per Litter	7.57 ± 0.57 (21) **	7.00 ± 0.74 (20)	6.36 ± 0.60 (22)	0.75 ± 0.42 (20) **
Percent Live Male Fetuses per Litter	46.47 ± 2.99 (21)	41.63 ± 3.55 (19)	45.74 ± 3.44 (21)	82.19 ± 8.29 (8) *

Experiment Number: R12103B

Test Type: Teratology

Route: Oral Gavage

Species/Strain: Rat/Harlan Sprague Dawley

R09: Uterine Content Summary

Test Compound: Vinpocetine

CAS Number: 42971-09-5

Date Report Requested: 12/16/2016

Time Report Requested: 11:58:41

Lab: Southern Research

	Female			
	Treatment Groups (mg/kg/day)			
	0	5	20	60
Fetal Weight (d)				
Fetal Weight per Litter (g)	5.15 ± 0.07 (21)	5.29 ± 0.16 (19)	5.21 ± 0.12 (21)	5.11 ± 0.10 (8)
Male Fetal Weight per Litter (g)	5.28 ± 0.06 (21)	5.49 ± 0.21 (19)	5.35 ± 0.12 (21)	5.18 ± 0.08 (8)
Female Fetal Weight per Litter (g)	5.03 ± 0.07 (21)	5.10 ± 0.10 (19)	5.09 ± 0.12 (21)	4.63 ± 0.06 (4)
Fetal Weight (adjusted) (e)				
Fetal Weight per Litter (g)	5.20 ± 0.02 (293) **	5.12 ± 0.03 (239) *	5.08 ± 0.03 (261) **	4.58 ± 0.05 (51) **
Male Fetal Weight per Litter (g)	5.35 ± 0.03 (134) **	5.28 ± 0.07 (99)	5.22 ± 0.04 (121) *	4.65 ± 0.07 (36) **
Female Fetal Weight per Litter (g)	5.08 ± 0.03 (159) **	5.01 ± 0.03 (140)	4.96 ± 0.04 (140) **	4.40 ± 0.08 (15) **
Gravid Uterus Weight (f)				
Gravid Uterus Weight (g)	97.79 ± 3.11 (21) **	83.89 ± 6.59 (20)	85.07 ± 5.28 (22)	19.52 ± 6.53 (20) **
Terminal Body Weight (g)	385.7 ± 4.2 (21) **	368.5 ± 8.2 (20)	370.0 ± 5.5 (22)	296.1 ± 8.2 (20) **
Adjusted Body Weight (g)	287.89 ± 2.33 (21) *	284.58 ± 3.60 (20)	284.90 ± 2.20 (22)	276.60 ± 2.79 (20) *

Experiment Number: R12103B

Test Type: Teratology

Route: Oral Gavage

Species/Strain: Rat/Harlan Sprague Dawley

R09: Uterine Content Summary

Test Compound: Vinpocetine

CAS Number: 42971-09-5

Date Report Requested: 12/16/2016

Time Report Requested: 11:58:41

Lab: Southern Research

LEGEND

Values are reported per litter as mean \pm SEM (N)

Calculated values do not include non-pregnant animals and those that did not survive to terminal sacrifice

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

Statistical significance for the control group indicates a significant trend test

(a) Statistical analysis performed by Cochran-Armitage (trend) and Fisher Exact (pairwise) tests

(b) Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests

(c) Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests or Cochran-Armitage (trend) and Fisher Exact (pairwise) tests

(d) Statistical analysis performed using the Random Effects Model (trend and pairwise)

(e) Litter weights adjusted for litter size. Statistical analysis performed by Jonckheere (trend) and William or Dunnett (pairwise) tests

(f) Statistical analysis performed by Jonckheere (trend) and William or Dunnett (pairwise) tests

**** END OF REPORT ****