

Experiment Number: C16008-03

Test Type: TOX

Route: Oral Gavage

Species/Strain: Mouse/B6C3F1/N

PA43: Hematology Summary

Test Compound: Crumbrubber various

CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/16/2018

Time Report Requested: 11:43:02

Lab: Battelle

C Number: C16008-03

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Female

Experiment Number: C16008-03
Test Type: TOX
Route: Oral Gavage
Species/Strain: Mouse/B6C3F1/N

PA43: Hematology Summary
Test Compound: Crumbrubber various
CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/16/2018
Time Report Requested: 11:43:02
Lab: Battelle

Female: Core Females

| | Phase Day | Treatment Groups (mg/kg) | |
|---|-----------|--------------------------|-------------------|
| | | 0 | 1250 |
| Hematocrit (%) | SD 14 | 54.5 ± 0.7 (10) | 53.5 ± 0.5 (10) |
| Percent of Control | | | 98.3 |
| Manual Hematocrit (%) | SD 14 | 49.0 ± 0.6 (9) | 49.1 ± 0.9 (9) |
| Percent of Control | | | 100.2 |
| Hemoglobin (g/dL) | SD 14 | 15.7 ± 0.1 (10) | 15.6 ± 0.1 (10) |
| Percent of Control | | | 99.5 |
| Erythrocytes (10 ⁶ /uL) | SD 14 | 10.30 ± 0.12 (10) | 10.28 ± 0.07 (10) |
| Percent of Control | | | 99.82 |
| Reticulocytes (10 ³ /uL) | SD 14 | 309.3 ± 11.0 (10) | 296.7 ± 16.3 (10) |
| Percent of Control | | | 95.9 |
| Mean Cell Volume (fL) | SD 14 | 52.9 ± 0.4 (10) | 52.1 ± 0.3 (10) |
| Percent of Control | | | 98.5 |
| Mean Cell Hemoglobin (pg) | SD 14 | 15.3 ± 0.0 (10) | 15.2 ± 0.1 (10) |
| Percent of Control | | | 99.7 |
| Mean Cell Hemoglobin Concentration (g/dL) | SD 14 | 28.9 ± 0.2 (10) | 29.2 ± 0.1 (10) |
| Percent of Control | | | 101.2 |
| Platelets (10 ³ /uL) | SD 14 | 902 ± 29 (10) | 965 ± 31 (10) |
| Percent of Control | | | 107 |
| White Blood Cells (10 ³ /uL) | SD 14 | 4.94 ± 0.49 (10) | 4.25 ± 0.48 (10) |
| Percent of Control | | | 86.09 |
| Neutrophils (10 ³ /uL) | SD 14 | 0.51 ± 0.09 (10) | 0.43 ± 0.05 (10) |
| Percent of Control | | | 83.95 |

Experiment Number: C16008-03
Test Type: TOX
Route: Oral Gavage
Species/Strain: Mouse/B6C3F1/N

PA43: Hematology Summary
Test Compound: Crumbrubber various
CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/16/2018
Time Report Requested: 11:43:02
Lab: Battelle

Female: Core Females

| | Phase Day | Treatment Groups (mg/kg) | |
|---|-----------|--------------------------|----------------------------|
| | | 0 | 1250 |
| Lymphocytes (10 ³ /uL) Percent of Control | SD 14 | 4.15 ± 0.40 (10) | 3.61 ± 0.42 (10) 87.04 |
| Monocytes (10 ³ /uL) Percent of Control | SD 14 | 0.06 ± 0.01 (10) | 0.06 ± 0.01 (10) 93.75 |
| Basophils (10 ³ /uL) Percent of Control | SD 14 | 0.02 ± 0.00 (10) | 0.01 ± 0.00 (10) 75.00 |
| Eosinophils (10 ³ /uL) Percent of Control | SD 14 | 0.17 ± 0.03 (10) | 0.11 ± 0.01 (10) 67.26 |
| Large Unstained Cells (10 ³ /uL) Percent of Control | SD 14 | 0.03 ± 0.01 (10) | 0.03 ± 0.01 (10) 100.00 |

Experiment Number: C16008-03

Test Type: TOX

Route: Oral Gavage

Species/Strain: Mouse/B6C3F1/N

PA43: Hematology Summary

Test Compound: Crumbrubber various

CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/16/2018

Time Report Requested: 11:43:02

Lab: Battelle

LEGEND

Values given as mean \pm SEM (N) with Percent of Control calculated by (dosed group mean / control group mean) x 100

SD – Study Day; GD – Gestation Day; LD – Lactation Day; PND – Postnatal Day, adults post-weaning

Hematology for gestation phase includes pregnant females only

Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests (unless otherwise noted).

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

Statistical analysis performed using the Mann-Whitney U test for comparing the two groups.

**** END OF REPORT ****