

Opioids and the Workplace: Prevention and Response -- Post-test

Your assistance in evaluating this training program will help make it better.

Please write your number at the top so that we can compare answers before and after the training.

Please mark the answer that best matches your response to the following statements.

1. Morphine is 50-100 times more potent than Fentanyl.	No	Yes	Unsure
2. A higher risk of work-related injury is not a factor in opioid use	No	Yes	Unsure
3. Opioid use or misuse is caused by lack of willpower.	No	Yes	Unsure
4. Opioid use disorder is a disease.	No	Yes	Unsure
5. Naloxone (Narcan) should be available at the workplace in locations where overdoses have occurred	No	Yes	Unsure
6. Naloxone (Narcan) is dangerous to administer to someone overdosing.	No	Yes	Unsure
7. I understand how workplace ergonomics can reduce risk of pain, injuries and potential opioid use and misuse.	No	Yes	Unsure
8. Programs where co-workers are trained to be peer advocates and supporters can contribute to reducing opioid misuse.	No	Yes	Unsure
9. I am comfortable accessing treatment for opioid misuse or addiction through my workplace, if needed.	No	Yes	Unsure
10. I know how to speak to my healthcare provider about: How to avoid using opioids if I am injured at work. Alternative pain treatments.	No No	Yes Yes	Unsure Unsure
11. I know what questions to ask to understand the quality of my health insurance coverage for substance use treatment. (Leave blank if you do not have health insurance.)	No	Yes	Unsure
12. “Zero tolerance” policies are the most effective way to prevent drug use in the workplace.	No	Yes	Unsure
13. I know what makes up a supportive workplace “drug free” policy	No	Yes	Unsure
14. I can identify presenteeism in the workplace.	No	Yes	Unsure

See other side

14. Please indicate which of the following are signs of opioid addiction:			
Drowsy	No	Yes	Unsure
Vomiting	No	Yes	Unsure
Slow breathing	No	Yes	Unsure
15. Please mark which of the following are opioids:			
OxyContin	No	Yes	Unsure
Buprenorphine	No	Yes	Unsure
Vicodin	No	Yes	Unsure
Naltrexone	No	Yes	Unsure
Morphine	No	Yes	Unsure
Fentanyl	No	Yes	Unsure
Methadone	No	Yes	Unsure

16. I am likely to report hazards at my workplace.	Strongly Agree	Slightly Agree	Unsure	Slightly Disagree	Strongly Disagree
17 I am likely to report injuries at my workplace.	Strongly Agree	Slightly Agree	Unsure	Slightly Disagree	Strongly Disagree
18. Workplace stress may lead to self-medication with drugs or alcohol.	Strongly Agree	Slightly Agree	Unsure	Slightly Disagree	Strongly Disagree
19. I am likely to talk about substance abuse at work:					
With coworkers	Strongly Agree	Slightly Agree	Unsure	Slightly Disagree	Strongly Disagree
With trusted person	Strongly Agree	Slightly Agree	Unsure	Slightly Disagree	Strongly Disagree

Thank you for taking the time to participate. Your responses are very important and meaningful as we work to improve our training and to raise awareness on Opioids in the Workplace.