NIEHS WTP COVID-19 Winter Webinar Series

The Paindemic: The Intersection between the COVID-19 Pandemic and Deaths of Despair

Jonathan Rosen, MS CIH FAIHA

Moderator

National Clearinghouse for Worker Safety & Health Training

Panelists


- Casey Chosewood, MD, MPH, Director for Total Worker Health®
 National Institute for Occupational Safety & Health
- Jamie Osborne, MPH, CHES®, Public Health Analyst, Office of the Director

National Institute for Occupational Safety & Health


- Arthur Lee, MD
 Fisk University, Midwest Consortium
- Micheal Hazard, VIP Program Director

United Association of Plumbers, Fitters, Welders, and Service Techs

81,230 overdose deaths, 12 months ending May 2020



Deaths of despair increasing during the pandemic



Source: JEC, US Senate, Long Term Trends in Deaths of Despair, SCP REPORT NO. 4-19 | SEPTEMBER 2019

Polling question #1 (select all that apply)

While working or returning to work during the pandemic, I am aware of increased:

- a. Drug and alcohol use in my workplace.
- b. Drug and alcohol use in my community.
- Mental health problems among co-workers.
- d. Mental health problems among family or community members.

Mental health problems may include stress, anxiety, depression, acute trauma, or PTSD.

Polling question #2 (select all that apply)

I provide workplace safety and health training that includes information about:

- a. Stress, trauma, resilience and self-care.
- b. Substance misuse prevention and response.
- c. Suicide and mental health problems among co-workers.
- d. Mental health and substance use problems among family or community members.
- e. None of the above.

Mental health problems may include stress, anxiety, depression, acute trauma, or PTSD.